



BPI LOAD GUIDE:

TPS SERIES WADS

WWW.BALLISTICPRODUCTS.COM

MULTI-METAL™ TECHNOLOGY FOR ALL SHOT MATERIALS

Our Tungsten Propulsion System™ (TPS™) series of wads are the most advanced non-toxic field wads on the planet. TPS wads are designed to protect against the ballistic rigors of any tungsten-alloy and steel shot pellets, yet they are soft and pliable enough to provide highly advanced obturation (gas sealing). Our secret plastic resin formulation is what makes all the difference.

If you are loading steel shot or tungsten-based pellets, like Hevi-Shot®, BPX Devastator™, Sphero-Tungsten™ Original-15 or Super Max-18 shot, our TPS series of wads minimize the risks of pellet contact - protecting your valuable barrel and chokes. The TPS series enhances the performance of all non-toxic shot types by providing unbeatable down-range patterns and phenomenal shot-to-shot consistency in velocities and pressures.

TPS Series wads use BPI's new TPS Slip Process Technology™ designed to reduce resistance and enhance production flow. This technology creates wads with unsurpassed operating range in extreme temperatures and military-spec toughness. Certified for major manufacturers down to -25 F.

MADE IN USA



What others are saying about BPI's TPS wads:



Turkey Thumpers

"I use [the 10ga 3 1/2" TPS] wad w/ 2-3/4 oz of nickel plated #2 shot for an outstanding long range turkey load in my SP-10!"



Magnum Hevi-Shot Turkey Loads

"These [12ga 3 1/2" TPS] wads work great for Magnum Hevi-shot Turkey loads! They will straight put the birds down!"



Great For My Shotgun

"All shotguns, loads, variables, etc. are different from shooter to shooter. So your experience will vary. I will say these wads produce a perfect pattern in my 3in steel loads. I call my load with this wad the HAMMER. I went to all 20 gauge a few weeks into the season with an over and under and a pump using 3 inch hulls with this wad. That decision was 99% based on performance of the wad and pattern, 1% based on 20 gauge as my favorite. Well worth working up loads with this wad."

TPS SERIES



TPS FIELD SERIES WADS

PART NUMBER	WAD NAME	OVERALL LENGTH	DIAMETER	WALL THICKNESS	SHOTCUP DEPTH	SEAL TO CUP BOTTOM	SLITS
#3227704	10GA 3-1/2"TPS WAD	2.265"	0.765"	0.035"	2.045"	0.220"	4 (also available unslit)
#3227701	12GA 2-3/4"TPS WAD	1.809"	0.718"	0.053"	1.600"	0.271"	4 (also available unslit)
#3227702	12GA 3"TPS WAD	2.025"	0.718"	0.052"	1.796"	0.229"	4 (also available unslit)
#3227703	12GA 3-1/2"TPS WAD	2.451"	0.718"	0.055"	2.210"	0.241"	4 (also available unslit)
#3227735	12GA 35MM TPS WAD	1.448"	0.718"	0.058"	1.201"	0.247"	4 (also available unslit)
#3227741	12GA 41MM TPS WAD	1.638"	0.718"	0.058"	1.416"	0.222"	4 (also available unslit)
#0722044	20GA 2-3/4"TPS WAD	1.729"	0.618"	0.040" (at top)	1.495"	0.125"	unslit
#0722051	20GA 3"TPS WAD	1.983"	0.618"	0.040" (at top)	1.739"	0.136"	unslit
#3222800	28GA TPS WAD	1.770"	0.546"	0.025" to 0.055"	1.632"	0.138"	4
#3224100	.410 BORE TPS WAD	1.770"	0.402"	0.025" to 0.050"	1.630"	0.140"	4

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
10-GAUGE • 3-1/2" LENGTH • LEAD SHOT • FOLD CRIMP															
160315-7917	10	Cheddite	Ched209	Longshot	38.0		TPS1035	(3) 14FW20 in base	OS10	1 1/2	656.3	Lead #4		7100	1250
160323-7954	10	Cheddite	Ched209	Longshot	42.0		TPS1035	(3) 14FW20 in base	OS10	1 5/8	710.9	Lead #4	10gr Original	8300	1355
230425-1638L	10	Remington	Ched 209	Blue Dot	40.2		TPS1035	(2) 14FW20 in base		1 3/4	765.6	Lead #TT		10000	1220
91130-1638LCH	10	Remington	Ched 209	Blue Dot	40.8		TPS1035	(2) 14FW20 in base		1 3/4	765.6	Lead #TT		10200	1250
170215-9251	10	Cheddite	Ched209	Blue Dot	42.5		TPS1035	(2) 14FW12 in base		1 7/8	820.3	Lead #2		9400	1225
160315-7918	10	Cheddite	Ched209	Longshot	32.0		TPS1035	(2) 14FW20 in base	OS10	1 7/8	820.3	Lead #4		7800	1125
160323-7955	10	Cheddite	Ched209	Longshot	34.0	NC10	TPS1035	(2) 14CW20 in base		1 7/8	820.3	Lead #4	10gr Original	10200	1230
160323-7956	10	Cheddite	Ched209	Longshot	36.0		TPS1035	(2) 14CW20 in base	OS10	1 7/8	820.3	Lead #4	10gr Original	10200	1230
160315-7919	10	Cheddite	Ched209	Steel	40.0		TPS1035	(2) 14FW20 in base	OS10	2	875.0	Lead #4		9700	1250
170927-9636	10	Federal FB	Fed209A	Steel	38.0		TPS1035	14FW20 + 18FW20 in base		2	875.0	Lead #2		10500	1255
160323-7952	10	Federal FB	Fed209A	Steel	30.0	X10X	TPS1035	14FW20 in base		2 1/4	984.4	Lead #4	12gr Original	10400	1055
170127-9192	10	Cheddite	Ched209	Steel	29.0		TPS1035	18FW12 in base	OS10	2 1/2	1093.8	Lead #2		10500	1000
160315-7915	10	Federal FB	Fed209A	Steel	28.0		TPS1035			2 1/2	1093.8	Lead #BB		10100	975
12-GAUGE • 3" LENGTH • LEAD SHOT • FOLD CRIMP															
160628-8175	12	Cheddite	Ched209	Steel	32.9		TPS1275			1 1/2	656.3	NP Lead #4	10gr Mix #47	9400	1250
160317-7929	12	Cheddite	Ched209	Lil' Gun	40.0	BPGS	TPS1275			1 5/8	710.9	Lead #6		8700	1130
160628-8178	12	Cheddite	Ched209	Steel	32.0		TPS1275			1 5/8	710.9	NP Lead #4	10gr Mix #47	9900	1225
160324-7957	12	<i>Rio</i>	<i>Rio209</i>	Lil' Gun	40.0	BPGS	TPS1275			1 5/8	710.9	Lead #6		8200	1120
160628-8176	12	Cheddite	Ched209	Steel	29.0		TPS1275			1 7/8	820.3	NP Lead #4	10gr Mix #47	10000	1100
160628-8179	12	Cheddite	Ched209	Steel	31.0		TPS1275			1 7/8	820.3	NP Lead #4	10gr Mix #47	10500	1150
12-GAUGE • 3-1/2" LENGTH • LEAD SHOT • FOLD CRIMP															
230421-11800	12	Cheddite	Ched209	Lil' Gun	42.0		TPS1235		OS12	2 1/2	1093.8	Lead #8		11365	1080
20-GAUGE • 2-3/4" LENGTH • LEAD SHOT • ROLL CRIMP															
191226-10714B	20	Cheddite	Ched209	HS-6	18.0		TPS2044 (slit)		OS20	1 1/8	492.2	Lead #6	10gr Original	9580	1040
191226-10714	20	Fiocchi	Fio616	HS-6	18.0		TPS2044 (slit)		OS20	1 1/8	492.2	Lead #6	10gr Original	9552	1035
20-GAUGE • 3" LENGTH • LEAD SHOT • FOLD CRIMP															
220325-11239	20	Fiocchi	Fio616	Lil' Gun	27.5		TPS2051	(2) 18CW28 in base	OS20	1 1/4	546.9	Lead #8	18gr Original	10440	1118

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
28-GAUGE • 2-3/4" LENGTH • LEAD SHOT • FOLD CRIMP															
120213-3692-6	28	Cheddite	Ched209	SR-7625	16.0		TP528	38W47 in base		3/4	328.1	NP Lead #6		11200	1250
120213-3694-6	28	Cheddite	Ched209	Blue Dot	19.5		TP528	NC430 in base		7/8	382.8	NP Lead #6		11800	1255
150817-7064	28	Cheddite	Ched209	Lil' Gun	28.0		TP528			7/8	382.8	Lead #6		11700	1390
170620-9466	28	Fiocchi	Fio616	Lil' Gun	25.0		TP528	14C41 in base	OS28	7/8	382.8	Lead #5		10400	1300
111121-3557	28	Fiocchi	Fio616	Lil' Gun	25.0		TP528	14C41 in base	(2) OS28	7/8	382.8	Lead #7/6		11500	1340
111121-3558R	28	Fiocchi	Fio616	Lil' Gun	26.0		TP528	14C41 in base	(2) OS28	7/8	382.8	Lead #7/6		11700	1365
111121-3558	28	Fiocchi	Fio616	Lil' Gun	27.0		TP528	14C41 in base	(2) OS28	7/8	382.8	Lead #7/6		11800	1400
150817-7063	28	Cheddite	Ched209	Lil' Gun	25.0		TP528			1	437.5	Lead #6		11700	1280
120215-3706-6	28	Cheddite	Ched209	Steel	17.0		TP528			1	437.5	Lead #6		11800	1185
170620-9467	28	Fiocchi	Fio616	Lil' Gun	22.5		TP528			1	437.5	Lead #5		10500	1200
110912-2287	28	Fiocchi	Fio616	Lil' Gun	25.0		TP528			1	437.5	Lead #7		12000	1345
.410-BORE • 3" LENGTH • LEAD SHOT • FOLD CRIMP															
140910-5996	410	Cheddite	Ched209	Alliant 410	15.0		TPS410			1/2	218.8	NP Lead #7		8900	1240
120130-3653	410	Fiocchi	Fio616	Alliant 410	15.0		TPS410			1/2	218.8	Lead #6		10600	1390
120130-3655	410	Fiocchi	Fio616	H110	18.0		TPS410			1/2	218.8	Lead #8		9200	1335
120130-3656	410	Fiocchi	Fio616	Steel	11.0		TPS410			1/2	218.8	Lead #8		12800	1310

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
10-GAUGE • 3-1/2" LENGTH • HEVI-SHOT • FOLD CRIMP															
160824-8315	10	Federal FB	Fed209A	Longshot	45.0		TPS1035		OS10	1 1/4	546.9	Hevi-Shot #2		9300	1560
10-GAUGE • 3-1/2" LENGTH • STEEL SHOT • ROLL CRIMP															
11403	10	Cheddite	Ched209	Longshot	28.2		TPS1035		OS10	1 1/2	656.3	Steel #BBB		9000	1140
10-GAUGE • 3-1/2" LENGTH • STEEL SHOT • FOLD CRIMP															
151002-7245	10	Cheddite	Ched209	Steel	47.0		TPS1035	(2) 14FW12 in base	OS10	1 1/4	546.9	Steel #BB	12gr Original	7300	1450
151002-7242	10	Federal FB	Fed209A	Longshot	38.0		TPS1035	(2) 14FW12 in base	OS10	1 1/4	546.9	Steel #BB	12gr Original	9600	1470
151002-7251	10	Federal FB	Fed209A	Longshot	40.0		TPS1035	(2) 14FW12 in base	OS10	1 1/4	546.9	Steel #BB	12gr Original	10500	1585
161104-9123	10	Federal FB	Fed209A	Steel	46.0		TPS1035		OS10	1 1/4	546.9	Steel #F	10gr Mix #47	8500	1500
91012-CH1462L	10	Remington	Ched 209	Blue Dot	44.5		TPS1035	(2) 14FW20 in base	N710	1 1/4	546.9	Steel #TT	10gr Mix #47	10500	1410
91012-CH1458L	10	Remington	Ched 209	HS-6	40.6	NC10	TPS1035	(2) 14FW20 in base	OS10	1 1/4	546.9	Steel #TT		10500	1490
230620-11861	10	Remington	Ched209	Longshot	37.1	N710	TPS1035	(2) 14FW20 in base	OS10	1 1/4	546.9	Steel #T		7500	1392
230620-11860	10	Remington	Ched209	Longshot	38.6	N710	TPS1035	(2) 14FW20 in base	OS10	1 1/4	546.9	Steel #T		8850	1463
230620-11862	10	Remington	Ched 209	Longshot	40.1	N710	TPS1035	(2) 14FW20 in base	OS10	1 1/4	546.9	Steel #T		10700	1485
180425-9964	10	Cheddite	Ched209	Blue Dot	34.5		TPS1035	14FW20 in base	OS10	1 3/8	601.6	Steel #F/BB		7395	1175
180426-9967	10	Cheddite	Ched209	Blue Dot	36.0		TPS1035	(2)14FW20 in base	OS10	1 3/8	601.6	Steel #BB		8120	1210
180427-9968	10	Cheddite	Ched209	Blue Dot	38.0		TPS1035	18FW20 in base	OS10	1 3/8	601.6	Steel #F		8660	1270
180427-9969	10	Cheddite	Ched209	Blue Dot	40.0		TPS1035	14FW20 in base	OS10	1 3/8	601.6	Steel #F		8880	1330
170712-9493	10	Cheddite	Ched209	IMR Blue	38.5		TPS1035	14FW12 in base	OS10	1 3/8	601.6	Steel #BB	15gr Mix #47	10500	1300
151002-7246	10	Cheddite	Ched209	Steel	42.0		TPS1035	14FW12 in base	OS10	1 3/8	601.6	Steel #BB	12gr Original	8800	1425
151005-7252	10	Federal FB	Fed209A	Longshot	37.0		TPS1035	14FW12 in base	OS10	1 3/8	601.6	Steel #BB	12gr Original	9800	1475
180430-9976	10	Remington	Rem209	Blue Dot	40.0		TPS1035	14FW20 in base	OS10	1 3/8	601.6	Steel #F/#BB		9320	1335
180430-9975	10	Winchester	Win209	Blue Dot	40.0		TPS1035	14FW20 in base	OS10	1 3/8	601.6	Steel #F/#BB		8595	1295
91012-CH1467	10	Remington	Ched 209	Blue Dot	43.9		TPS1035	14FW20 in base	N710	1 3/8	601.6	Steel #TT		10250	1400
170727-9549	10	Cheddite	Ched209	IMR Blue	36.8		TPS1035	18FW12 in base	OS10	1 1/2	656.3	Steel #BB	15gr Mix #47	10400	1265
180425-9965	10	Cheddite	Ched209	Steel	35.0		TPS1035	14FW20 in base	OS10	1 1/2	656.3	Steel #F/BB		8810	1340
180426-9966	10	Cheddite	Ched209	Steel	37.0		TPS1035		OS10	1 1/2	656.3	Steel #BBB		8600	1365
151002-7247	10	Cheddite	Ched209	Steel	39.0		TPS1035	18FW12 in base	OS10	1 1/2	656.3	Steel #BB	12gr Original	10000	1375

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
10-GAUGE • 3-1/2" LENGTH • STEEL SHOT • FOLD CRIMP (CONTINUED)															
180427-9970	10	Cheddite	Ched209	Steel	40.0		TPS1035	18FW20 in base	OS10	1 1/2	656.3	Steel #F		9400	1435
151005-7253	10	Federal FB	Fed209A	Steel	36.0		TPS1035	18FW12 in base	OS10	1 1/2	656.3	Steel #BB	12gr Original	9800	1320
180430-9978	10	Remington	Rem209	Steel	38.0		TPS1035	18FW20 in base	OS10	1 1/2	656.3	Steel #F/#BB		10140	1400
180430-9974	10	Winchester	Win209	Steel	40.0		TPS1035	14FW20 in base		1 1/2	656.3	Steel #F/#BB		9205	1420
91012-CH1460	10	Remington	Ched 209	Blue Dot	40.1		TPS1035	18FW20 in base	N710	1 1/2	656.3	Steel #TT		10200	1275
91009-CH1446	10	Remington	Ched 209	Steel	38.2		TPS1035	14FW20 in base	OS10	1 1/2	656.3	Steel #B	12gr Mix #47	9800	1350
151005-7249	10	Cheddite	Ched209	Steel	34.0		TPS1035		OS10	1 5/8	710.9	Steel #BB	12gr Original	9300	1230
151005-7250	10	Cheddite	Ched209	Steel	36.0		TPS1035	18FW12 in base	OS10	1 5/8	710.9	Steel #BB	12gr Original	9900	1290
10-GAUGE • 3-1/2" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • FOLD CRIMP															
180413-9952	10	Federal	Fed209A	Steel	34.0		TPS1035	(3) 14FW12 in base	OS10	2	875.0	ST Original-15 #7		8185	1125
180716-10089	10	Federal FB	Fed209A	Steel	36.0		TPS1035	(4) 14FW12 in base		2	875.0	ST Original-15 #7		6800	1100
12-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • FOLD CRIMP															
221201-11650	12	Cheddite	Ched209	Longshot	33.0	BPGS	TPS35mm	(3) 14FW20 in base	OS12	1 1/8	492.2	ST Super Max-18 #9		8700	1397
221201-11651.2	12	Cheddite	Ched209	Longshot	34.0	BPGS	TPS35mm	(3) 14FW20 in base	OS12	1 1/8	492.2	ST Super Max-18 #9		10200	1449
221201-11575	12	Cheddite	Ched209	Longshot	26.8	BPGS	TPS35mm	(2) 14FW20 + 18FW20 in base	OS12	1 1/4	546.9	ST Super Max-18 #9		10300	1262
221201-11575.2	12	Cheddite	Ched209	Longshot	27.4	BPGS	TPS35mm	(2) 14FW20 + 18FW20 in base	OS12	1 1/4	546.9	ST Super Max-18 #9		10900	1280
12-GAUGE • 2-3/4" LENGTH • STEEL SHOT • FOLD CRIMP															
151021-7385	12	Cheddite	Ched209	Longshot	29.5		TPS1275	(2) 14FW20 in base		7/8	382.8	Steel #2		10200	1500
11594	12	Federal HOA or STS	Ched209	Steel	31.0		TPS35mm		OS12	7/8	382.8	Steel #5		8300	1452
11595	12	Federal HOA or STS	Ched209	Steel	33.0		TPS35mm		OS12	7/8	382.8	Steel #5		9900	1553
11596	12	Federal HOA or STS	Ched209	Steel	35.0		TPS35mm		OS12	7/8	382.8	Steel #5		10200	1593
150930-7228	12	Federal PB	Fed209A	Longshot	30.0		TPS1275	(2) 14FW20 in base	OS12	7/8	382.8	Steel #2		11000	1525
90122-339	12	Remington STS	Win209	Blue Dot	29.0		TPS41mm	18FW20 in base	OS12	7/8	382.8	Steel #7		9800	1200
90323-646	12	Remington STS	Rem209P	SR-4756	28.0		TPS41mm	18FW20 in base		7/8	382.8	Steel #3		10100	1345
90414-743	12	Remington STS	Rem209P	Steel	35.0		TPS35mm			7/8	382.8	Steel #3		10900	1625
90202-370	12	Remington STS	Rem209P	Steel	35.0		TPS41mm			7/8	382.8	Steel #B		10800	1600
90122-340	12	Remington STS	Rem209P	Universal	18.0		TPS41mm	18FW20 in base	OS12	7/8	382.8	Steel #7		9100	1250

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 2-3/4" LENGTH • STEEL SHOT • FOLD CRIMP (CONTINUED)															
151021-7384	12	Rio	Rio209	Longshot	29.0		TPS1275	(2) 14FW20 in base		7/8	382.8	Steel #2		10000	1500
160224-7839	12	Rio	Rio209	Longshot	32.0		TPS1275	14FW20 + 18FW20 in base		7/8	382.8	Steel #2		10300	1575
90122-335	12	Win AA (original)	Win209	Steel	35.0		TPS35mm			7/8	382.8	Steel #3		10500	1600
91130-1625	12	Winchester AA HS	Win209	PB	16.0	BPGS	TPS35mm			7/8	382.8	Steel #7		8900	1060
91130-1626	12	Winchester AA HS	Win209	PB	18.0		TPS35mm			7/8	382.8	Steel #7		9300	1160
90122-334	12	Winchester AA HS	Win209	Steel	32.0		TPS35mm			7/8	382.8	Steel #3		10200	1545
161018-9092	12	Cheddite	Ched209	Blue Dot	37.0		TPS41mm			1	437.5	Steel #2		10200	1350
151021-7383	12	Cheddite	Ched209	Longshot	27.0		TPS1275	14FW20 in base		1	437.5	Steel #2		10800	1400
161018-9086	12	Fiocchi	Fio616	Blue Dot	34.0		TPS41mm		OS12	1	437.5	Steel #4		9000	1225
11070	12	Fiocchi	Fio616	Pro Reach	23.9		TPS1275	14FW20 in base	OS12	1	437.5	Steel #2		9112	1300
11066	12	Fiocchi	Fio616	Pro Reach	26.8		TPS1275		OS12	1	437.5	Steel #2		10842	1395
90109-324	12	Remington STS	Rem209P	800-X	24.0		TPS41mm			1	437.5	Steel #7/6/5/4		11000	1285
90122-337	12	Remington STS	Rem209P	Blue Dot	28.0	BPGS	TPS41mm			1	437.5	Steel #7/6/5/4		9600	1170
90122-229	12	Remington STS	Rem209P	Blue Dot	29.0	BPGS	TPS41mm			1	437.5	Steel #7/6/5/4		9800	1155
90122-338	12	Remington STS	Rem209P	Blue Dot	31.0		TPS41mm			1	437.5	Steel #7/6/5/4		10700	1275
160224-7840	12	Rio	Rio209	Blue Dot	35.0		TPS1275	18FW20 in base		1	437.5	Steel #2		9800	1305
160224-7841	12	Rio	Rio209	SR-4756	26.5		TPS1275	18FW20 in base		1	437.5	Steel #2		9200	1200
151021-7382	12	Cheddite	Ched209	Longshot	23.0		TPS1275			1 1/8	492.2	Steel #2		10800	1250
11130.3	12	Federal Top Gun	Ched209	Win. 572	19.0		TPS1275		OS12	1 1/8	492.2	Steel		10903	1139
12-GAUGE • 3" LENGTH • BISMUTH SHOT • FOLD CRIMP															
11216	12	Cheddite	Ched209	Longshot	26.6		TPS1230	14FW20 + 18FW20 in base	OS12	1 1/4	546.9	Bismuth	18gr Original	11000	1250
11204.2	12	Cheddite	Ched209	Longshot	27.5		TPS1230	14FW20 + 18FW20 in base	OS12	1 1/4	546.9	Bismuth		10840	1300
12-GAUGE • 3" LENGTH • BPX DEVASTATOR SHOT • FOLD CRIMP															
232-11725.2	12	Cheddite	Ched209	Longshot	26.2	X12X	TPS41mm	18FW20 in base	OS12	1 1/4	546.9	BPX-12 #2		10780	1197
232-11711	12	Cheddite	Ched209	Longshot	28.5	BPGS	TPS1275	14FW20 + 18CW20 in base	OS12	1 1/4	546.9	BPX-12 #2		10303	1237
230217-11711	12	Cheddite	Ched209 HOT	Longshot	28.5	BPGS	TPS1275	14FW20 + 18CW20 in base	OS12	1 1/4	546.9	BPX-12 #2		10800	1297
232-11710	12	Cheddite	Ched209	Longshot	28.0	BPGS	TPS1275	14FW20 + 18CW20 in base	N712	1 3/8	601.6	BPX-12 #BB		10721	1187

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 3" LENGTH • STEEL SHOT • ROLL CRIMP															
11406	12	Cheddite	Ched209	Steel	30.5		TPS1230	(2) 18FW20 in base	N712	1 3/16	519.5	Steel #2		8600	1271
11205	12	Cheddite	Ched209	Steel	31.0		TPS1230		OS12	1 1/4	546.9	Steel #BB		9895	1280
150930-7216	12	Cheddite	Ched209	Steel	31.5		TPS1230		OS12	1 1/4	546.9	Steel #2		9800	1300
12-GAUGE • 3" LENGTH • STEEL SHOT • FOLD CRIMP															
161018-9091	12	Cheddite	Ched209	Blue Dot	36.0		TPS1275	18FW20 in base	OS12	1 1/8	492.2	Steel #2		9000	1250
161018-9094	12	Cheddite	Ched209	Blue Dot	39.5		TPS1275	18FW20 in base		1 1/8	492.2	Steel #2		10300	1350
161018-9097	12	Cheddite	Ched209	Longshot	28.0	X12X	TPS41mm			1 1/8	492.2	Steel #4		10200	1315
161018-9089	12	Cheddite	Ched209	Longshot	29.0		TPS1230	14FW20 in base	OS12	1 1/8	492.2	Steel #4		11000	1350
150814-7049	12	Cheddite	Ched209	Steel	36.0		TPS1275			1 1/8	492.2	Steel #2		8700	1375
160314-7914	12	Cheddite	Ched209	Steel	39.0		TPS1275	18FW20 in base		1 1/8	492.2	Steel #2		9900	1525
11592.2	12	Fiocchi	Fio616M	Steel	33.1		TPS1275		OS12	1 1/8	492.2	Steel #3		11200	1429
11407	12	Cheddite	Ched209	Steel	28.5		TPS1230	(2) 18FW20 in base	OS12	1 3/16	519.5	Steel #2		8190	1203
10912	12	Fiocchi	Fio616M	IMR Blue	30.0		TPS1230		OS12		525.0	Steel	18gr Original	10853	1208
10914	12	Fiocchi	Fio616	IMR Blue	31.0		TPS1230		OS12		525.0	Steel	18gr Original	10976	1221
11027	12	Fiocchi	Fio616	IMR Blue	32.0		TPS1230		OS12		525.0	Steel	18gr Original	11076	1215
10915	12	Fiocchi	Fio616M	Steel	30.0		TPS1230		OS12		525.0	Steel	18gr Original	10418	1328
10917	12	Fiocchi	Fio616	Steel	31.0		TPS1230		OS12		525.0	Steel	18gr Original	8600	1298
10916	12	Fiocchi	Fio616M	Steel	31.0		TPS1230		OS12		525.0	Steel	18gr Original	10015	1335
11621	12	Cheddite	Ched209	Steel	31.5		TPS1230	18FW20 in base	OS12	1 1/4	546.9	Steel #2		10378	1316
11629	12	Cheddite	Ched209	Steel	33.7		TPS1275			1 1/4	546.9	Steel #2		10600	1377
11630	12	Cheddite	Ched209	Steel	35.8		TPS1275			1 1/4	546.9	Steel #2		10900	1421
11627	12	Cheddite	Ched209	Steel	37.5		TPS1275		OS12	1 1/4	546.9	Steel #2		11308	1470
10818	12	Fiocchi	Fio616	IMR Blue	32.5		TPS1230		OS12	1 1/4	546.9	Steel	18gr Original	10133	1220
150930-7217	12	Rio	Rio209	Blue Dot	32.5		TPS1230			1 1/4	546.9	Steel #2	12gr Mix #47	10300	1200
12-GAUGE • 3-1/2" LENGTH • HEVI-SHOT • FOLD CRIMP															
111108-3511	12	Federal PB	Fed209A	SR-4756	35.0	(3) BPGS	TPS1275	14FW20 + 18FW20 in base	OS12	1 1/4	546.9	Hevi-Shot		9100	1245
111108-3510	12	Fiocchi	Fio616	SR-4756	35.0	(2) X12X	TPS1275	14CW20 in base	OS12	1 1/4	546.9	Hevi-Shot		9000	1270

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
12-GAUGE • 3-1/2" LENGTH • HEVI-SHOT • FOLD CRIMP (CONTINUED)															
111116-3536	12	Fiocchi	Fio616	SR-4756	38.0	(2) X12X	TPS1275	18FW20 in base		1 1/4	546.9	Hevi-Shot #4 +		10100	1380
111116-3535	12	Fiocchi	Fio616	SR-4756	40.0	(2) BPGS	TPS1275	18CW20 in base	OS12	1 1/4	546.9	Hevi-Shot #4 +		10200	1425
111108-3512	12	Federal PB	Fed209A	Blue Dot	38.0	(3) X12X	TPS1275	18FW20 in base	OS12	1 3/8	601.6	Hevi-Shot		10000	1250
111108-3513	12	Fiocchi	Fio616	Blue Dot	34.0	(2) BPGS	TPS1230	14FW20 in base	OS12	1 3/8	601.6	Hevi-Shot		8200	1100
111116-3537	12	Fiocchi	Fio616	Blue Dot	37.0	X12X	TPS1230	18FW20 in base		1 3/8	601.6	Hevi-Shot #6 +		9800	1240
111108-3522	12	Fiocchi	Fio616	Blue Dot	38.0	(2) X12X	TPS1275	14FW20 in base	OS12	1 3/8	601.6	Hevi-Shot		9700	1270
111116-3538	12	Fiocchi	Fio616	Blue Dot	40.0	(2) X12X	TPS1275			1 3/8	601.6	Hevi-Shot #6 +		10800	1380
111108-3515	12	Federal PB	Fed209A	Blue Dot	34.0	(3) X12X	TPS1275	14FW20 in base	OS12	1 1/2	656.3	Hevi-Shot		9500	1230
111108-3516	12	Federal PB	Fed209A	Blue Dot	34.0	(2) GS2	TPS1275	14FW20 in base	OS12	1 1/2	656.3	Hevi-Shot		9700	1215
111108-3514	12	Fiocchi	Fio616	Steel	39.0	X12X	TPS1230	(3) 18FW20 in base	OS12	1 1/2	656.3	Hevi-Shot		9400	1350
111116-3539	12	Fiocchi	Fio616	Steel	42.0	BPGS	TPS1230		OS12	1 1/2	656.3	Hevi-Shot #2 +		10000	1420
111108-3517	12	Fiocchi	Fio616	Steel	38.0	(3) BPGS	TPS1230	(2) 14FW20 in base	OS12	1 5/8	710.9	Hevi-Shot		9000	1250
111116-3540	12	Fiocchi	Fio616	Steel	41.0	X12X	TPS1230		OS12	1 5/8	710.9	Hevi-Shot #4/2		12100	1430
111108-3519	12	Federal PB	Fed209A	Steel	36.0		TPS1235	(3) 18FW20 in base	OS12	1 3/4	765.6	Hevi-Shot		10400	1255
111108-3518	12	Fiocchi	Fio616	Steel	35.0		TPS1235	14FW20 in base	OS12	1 7/8	820.3	Hevi-Shot		8800	1200
111116-3541	12	Fiocchi	Fio616	Steel	39.0		TPS1235			1 7/8	820.3	Hevi-Shot #6/4		12800	1340
111108-3521	12	Fiocchi	Fio616	Steel	32.0		TPS1235	14FW20 in base	OS12	2	875.0	Hevi-Shot		10300	1135
12-GAUGE • 3-1/2" LENGTH • STEEL SHOT • FOLD CRIMP															
150930-7229	12	Cheddite	Ched209	Steel	42.0		TPS1230		OS12	1 1/4	546.9	Steel #2		11600	1550
150930-7230	12	Cheddite	Ched209	Steel	37.0		TPS1230		OS12	1 3/8	601.6	Steel #2		11100	1400
150828-7077	12	Cheddite	Ched209	Steel	40.0		TPS1230		OS12	1 3/8	601.6	Steel #B		9900	1410
150930-7231	12	Federal	Fed209A	Blue Dot	38.0		TPS1230		OS12	1 3/8	601.6	Steel #2		12500	1400
11374	12	Fiocchi	Fio616M	Steel	32.0	BPGS	TPS1230		OS12	1 3/8	601.6	Steel #2	10gr Mix #47	12230	1297
11360	12	Fiocchi	Fio616M	Steel	32.5		TPS1235	18FW20 in base	OS12	1 3/8	601.6	Steel	10gr Mix #47	13260	1319
170220-9272	12	Fiocchi	Fio616	Steel	39.0	BPGS	TPS1230			1 3/8	601.6	Steel #2	12gr Mix #47	13000	1485
20-GAUGE • 2-3/4" LENGTH • BISMUTH SHOT • FOLD CRIMP															
11314	20	Fiocchi	Fio616	Lil' Gun	31.0		TPS2044 (slit)			1 1/8	492.2	Bismuth #4	12gr Original	11290	1258

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
20-GAUGE • 2-3/4" LENGTH • BPX DEVASTATOR SHOT • FOLD CRIMP															
10950.2	20	Fiocchi	Fio616	Lil' Gun	30.8		TPS2044 (slit)		OS20	1 1/4	546.9	BPX-12 #5		11500	1240
20-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • FOLD CRIMP															
10960	20	Cheddite	Ched209	Longshot	18.0		TPS2044 (slit)	(5) 18CW28 in base	OS20	7/8	382.8	ST Original-15 #7		10135	1225
191226-10712	20	Fiocchi	Fio616	Lil' Gun	34.0		TPS2044 (slit)	(4) 18CW28 in base		1 1/8	492.2	ST Original-15 #7		9085	1305
10949	20	Fiocchi	Fio616	Lil' Gun	32.5		TPS2044 (slit)	(3) 18CW28 in base		1 1/4	546.9	ST Original-15 #7		9875	1230
20-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • FOLD CRIMP															
11254	20	Fiocchi	Fio616	Lil' Gun	27.2		TPS2044 (slit)	(5) 18CW28 in base	OS20	1 1/4	546.9	ST Super Max-18 #7		7900	1058
11261	20	Fiocchi	Fio616	Lil' Gun	37.0		TPS2044 (slit)	(5) 18CW28 in base	OS20	1 1/4	546.9	ST Super Max-18 #7		11300	1336
20-GAUGE • 2-3/4" LENGTH • STEEL SHOT • FOLD CRIMP															
191226-10702	20	Fiocchi	Fio616	IMR Blue	25.0		TPS2044 (slit)	18FW28 in base		3/4	328.1	Steel #5		11250	1350
191226-10694	20	Fiocchi	Fio616	Steel	23.0		TPS2044 (slit)			3/4	328.1	Steel #2		8730	1445
11108	20	Cheddite	Ched209	Lil' Gun	32.0		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		10052	1405
11109	20	Federal	Fed209A	Lil' Gun	32.0		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		8700	1253
11115	20	Federal	Fed209A	Lil' Gun	34.0		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		11673	1468
11110	20	Fiocchi	Fio616	Lil' Gun	32.0		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		7980	1310
11113	20	Fiocchi	Fio616	Lil' Gun	34.0		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		10800	1448
11111	20	Fiocchi	Fio616	Steel	22.5		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		8255	1295
11112	20	Fiocchi	Fio616	Steel	23.5		TPS2044 (slit)		OS20	13/16	355.5	Steel #6		10445	1370
11316	20	Cheddite	Ched209	Lil' Gun	32.8		TPS2044 (slit)	18CW28 in base	OS20	7/8	382.8	Steel #4		11462	1379
191226-10705	20	Fiocchi	Fio616	Lil' Gun	33.0		TPS2044 (slit)			7/8	382.8	Steel #4	12gr Mix #47	9235	1375
181030-10706	20	Fiocchi	Fio616	Lil' Gun	35.0		TPS2044 (slit)			7/8	382.8	Steel #4		10700	1480
191226-10706	20	Fiocchi	Fio616	Lil' Gun	35.0		TPS2044 (slit)			7/8	382.8	Steel #2	12gr Mix #47	10600	1475
191226-10693	20	Fiocchi	Fio616	Steel	22.0		TPS2044 (slit)			7/8	382.8	Steel #2		10265	1365
20-GAUGE • 3" LENGTH • BISMUTH SHOT • FOLD CRIMP															
11490	20	Cheddite	Ched209 HOT	Lil' Gun	32.3		TPS2044 (slit)	18CW28 in base	OS20	1 1/8	492.2	Bismuth	12gr Original	9800	1220
10963	20	Fiocchi	Fio616	Lil' Gun	35.0		TPS2044 (slit)	18CW28 in base	OS20	1 1/8	492.2	Bismuth	10gr Original	8848	1295
11263	20	Fiocchi	Fio616	Lil' Gun	27.4		TPS2051 (slit)		OS20	1 1/4	546.9	Bismuth #4	12gr Original	10380	1122

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
20-GAUGE • 3" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • FOLD CRIMP															
10974	20	Fiocchi	Fio616	Lil' Gun	34.0	PT20GS	TPS2044 (slit)	18CW28 in base	OS20	1 3/8	601.6	ST Original-15 #7		10485	1240
20-GAUGE • 3" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • FOLD CRIMP															
180712-10083	20	Federal FB	Fed209A	Lil' Gun	28.0	(2) NC20	TPS2044 (slit)	14FW20 in base		1 5/8	710.9	ST Super Max-18 #7		9110	1090
10968	20	Federal	Fed209A	Lil' Gun	29.1	OB20	TPS2044 (slit)	(2) 18CW28 in base	OS20	1 5/8	710.9	ST Super Max-18 #7		10917	1079
20-GAUGE • 3" LENGTH • STEEL SHOT • ROLL CRIMP															
11364.1	20	Fiocchi	Fio616	Steel	21.5		TPS2051 (slit)		OS20		400.3	Steel #T		11500	1292
11364	20	Fiocchi	Fio616	Steel	21.9		TPS2051 (slit)		OS20		400.3	Steel #T		11720	1326
20-GAUGE • 3" LENGTH • STEEL SHOT • FOLD CRIMP															
191226-10698	20	Fiocchi	Fio616	Blue Dot	22.0		TPS 2051 (slit)	18FW20 in base	OS20	7/8	382.8	Steel #4	12gr Original	9100	1165
191226-10710	20	Fiocchi	Fio616	IMR Blue	24.0		TPS 2051 (slit)	18FW20 in base	OS20	7/8	382.8	Steel #3	12gr Original	11200	1270
191226-10709	20	Fiocchi	Fio616	Steel	22.0		TPS 2044 (slit)		OS20	7/8	382.8	Steel #4	12gr Original	11528	1400
10984	20	Fiocchi	Fio616	Lil' Gun	35.0		TPS2051 (slit)		OS20	15/16	410.2	Steel #2		9058	1352
11026	20	Federal	Fed209A	Lil' Gun	31.0		TPS2051 (slit)		OS20		424.0	Steel #2		10730	1300
11025	20	Federal	Fed209A	Lil' Gun	33.0		TPS2051 (slit)		OS20		424.0	Steel #2		11005	1350
191226-10837	20	Fiocchi	Fio616	Lil' Gun	34.0		TPS2051 (slit)		OS20	1	437.5	Steel #4	12gr Original	10270	1355
191226-10836	20	Fiocchi	Fio616	Lil' Gun	37.5		TPS2051 (slit)		OS20	1	437.5	Steel #4	12gr Original	10762	1430
191226-10711	20	Fiocchi	Fio616	Lil' Gun	38.0		TPS2051 (slit)			1	437.5	Steel #3		10250	1280
28-GAUGE • 2-3/4" LENGTH • BISMUTH SHOT • FOLD CRIMP															
161011-9050	28	Cheddite	Ched209	Blue Dot	20.0		TPS28	NC410 in base	OS28	3/4	328.1	Bismuth #6/7	10gr BSB	11600	1250
161011-9051	28	Cheddite	Ched209	Lil' Gun	28.0		TPS28	NC410 in base	OS28	3/4	328.1	Bismuth #6/7	10gr BSB	10200	1375
161011-9054	28	Cheddite	Ched209	Steel	18.0		TPS28	NC410 in base	OS28	3/4	328.1	Bismuth #6/7	10gr BSB	10200	1250
161011-9049	28	Cheddite	Ched209	Blue Dot	20.0		TPS28		OS28	13/16	355.5	Bismuth #6/7	10gr BSB	12000	1225
161011-9052	28	Cheddite	Ched209	Lil' Gun	26.0		TPS28		OS28	13/16	355.5	Bismuth #6/7	10gr BSB	10100	1300
161011-9053	28	Cheddite	Ched209	Steel	18.0		TPS28		OS28	13/16	355.5	Bismuth #6/7	10gr BSB	11500	1250
10952	28	Cheddite	Ched209	Lil' Gun	24.0		TPS28			7/8	382.8	Bismuth	10gr Original	9650	1215
10954	28	Cheddite	Ched209	Lil' Gun	25.0		TPS28		OS28	7/8	382.8	Bismuth	10gr Original	10900	1280
10956	28	Fiocchi	Fio616	IMR Blue	19.0		TPS28			7/8	382.8	Bismuth	10gr Original	11237	1170

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
28-GAUGE • 2-3/4" LENGTH • BPX DEVASTATOR SHOT • FOLD CRIMP															
11421	28	Fiocchi	Fio616	Longshot	14.6		TP528			3/4	328.1	BPX-12 #5		9800	1137
28-GAUGE • 2-3/4" LENGTH • HEVI-SHOT • FOLD CRIMP															
130916-5069	28	Winchester AA HS	Win209	SR-4756	18.0		TP528 (trim 1/4")	(2) 14C41 in base	OS28	1/2	218.8	Hevi-Shot #9		11100	1400
11321.2	28	Cheddite	Ched209	Longshot	14.2		TP528	FC410 + NC410 in base		3/4	328.1	Hevi-Shot #9	10gr Mix #47	10980	1197
230607-11880	28	Fiocchi	Fio616	Longshot	14.0		TP528	FC430 + NC410 in base	OS28	3/4	328.1	Hevi-Shot #9		7500	1175
11321	28	Fiocchi	Fio616	Longshot	14.8		TP528	FC410 + NC410 in base		3/4	328.1	Hevi-Shot #9	10gr Mix #47	11728	1206
28-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • FOLD CRIMP															
10951	28	Cheddite	Ched209	Lil' Gun	28.0		TP528	FC410 (cut in 1/2) in base	OS28	3/4	328.1	ST Original-15 #7		9560	1395
180222-9873	28	Cheddite	Ched209	Pro Reach	14.0		TP528	(3) 14C41 in base	OS28	3/4	328.1	ST Original-15 #7		9700	1200
180326-9936	28	Cheddite	Ched209	Lil' Gun	25.0		TP528	(2) 14C41 in base		13/16	355.5	ST Original-15 #7		7710	1270
11155	28	Cheddite	Ched209	Lil' Gun	26.0		TP528	FC410 + NC410 in base	OS28	7/8	382.8	ST Original-15 #7		11473	1318
180222-9872	28	Cheddite	Ched209	Lil' Gun	28.0		TP528	(2) 14C41 in base	OS28	7/8	382.8	ST Original-15 #7		11860	1415
10953	28	Cheddite	Ched209	Lil' Gun	23.5		TP528	14C41 in base	OS28	1	437.5	ST Original-15 #7		11483	1202
28-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • ROLL CRIMP															
11246	28	Cheddite	Ched209	Lil' Gun	30.0		TP528	FC410 in base	OS28	7/8	382.8	ST Super Max-18 #9		11925	1389
230512-11835	28	Fiocchi	Fio616	Lil' Gun	30.0		TP528	FC410 + NC410 in base	OS28	7/8	382.8	ST Super Max-18 #9		10300	1425
230515-11838	28	Fiocchi	Fio616	Lil' Gun	26.0		TP528	(1.5) FC430 in base	OS28	1	437.5	ST Super Max-18 #9		7050	1150
230515-11837	28	Fiocchi	Fio616	Lil' Gun	27.0		TP528	(1.5) FC430 in base	OS28	1	437.5	ST Super Max-18 #9		8040	1215
28-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • FOLD CRIMP															
191226-10788	28	Cheddite	Ched209	Lil' Gun	28.0		TP528	(1.5) FC430 in base	OS28	3/4	328.1	ST Super Max-18	10gr Mix #47	7260	1340
11156	28	Cheddite	Ched209	Lil' Gun	27.0		TP528	FC410 + (2) NC410 in base	OS28	7/8	382.8	ST Super Max-18 #9		11065	1338
191226-10789	28	Cheddite	Ched209	Lil' Gun	28.0		TP528	(1.5) FC430 in base	OS28	7/8	382.8	ST Super Max-18	10gr Mix #47	9140	1355
191226-11836	28	Cheddite	Ched209	Lil' Gun	30.0		TP528	(1.5) FC430 in base	OS28	7/8	382.8	ST Super Max-18		10200	1400
230512-11841	28	Fiocchi	Fio616	Lil' Gun	24.0		TP528	(1.5) FC410 in base	OS28	1	437.5	ST Super Max-18 #9		6000	1100
230512-11839	28	Fiocchi	Fio616	Lil' Gun	25.0		TP528	(1.5) FC410 in base	OS28	1	437.5	ST Super Max-18 #9		6500	1125

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
28-GAUGE • 2-3/4" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT & STEEL SHOT • ROLL CRIMP															
11096	28	Cheddite	Ched209	Lil' Gun	21.5		TPS28		OS28	3/8 1/2	164.1 218.8	ST Super Max-18 #9 Steel #4		8700	1120
11095	28	Cheddite	Ched209	Lil' Gun	22.5		TPS28		OS28	3/8 1/2	164.1 218.7	ST Super Max-18 #9 Steel #4		10500	1185
28-GAUGE • 2-3/4" LENGTH • STEEL SHOT • FOLD CRIMP															
120215-3708-3	28	Cheddite	Ched209	Blue Dot	18.5		TPS28			5/8	273.4	Steel #3		11200	1315
120213-3687	28	Cheddite	Ched209	Lil' Gun	27.0		TPS28		OS28	5/8	273.4	Steel #3		10200	1465
131011-5168	28	Cheddite	Ched209	Lil' Gun	28.0		TPS28			5/8	273.4	Steel #3		10500	1480
131007-5152	28	Cheddite	Ched209	Pro Reach	14.5		TPS28			5/8	273.4	Steel #6		11700	1350
110725-3252	28	Cheddite	Ched209	SR-4756	16.0		TPS28		OS28	5/8	273.4	Steel #6		11500	1275
131007-5150	28	Cheddite	Ched209	SR-4756	16.5		TPS28			5/8	273.4	Steel #6		11800	1350
110725-3251	28	Cheddite	Ched209	SR-7625	13.5		TPS28		OS28	5/8	273.4	Steel #6		11800	1250
110725-3250	28	Cheddite	Ched209	Universal	11.5		TPS28		OS28	5/8	273.4	Steel #6		11800	1270
10972	28	Fiocchi	Fio616	Lil' Gun	25.0		TPS28		OS28	5/8	273.4	Steel #2		9135	1364
230512-11842	28	Fiocchi	Fio616	Lil' Gun	28.0		TPS28	FC410 + NC410 in base	OS28	5/8	273.4	Steel #5		9373	1510
28-GAUGE • 3" LENGTH • BISMUTH SHOT • ROLL CRIMP															
11094	28	Fiocchi	Fio616	Lil' Gun	24.0		TPS28		OS28	1	437.5	Bismuth #6		11153	1210
28-GAUGE • 3" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • ROLL CRIMP															
11055	28	Fiocchi	Fio616	Lil' Gun	24.1	NC28	TPS28	FC410 + NC410 in base	OS28	1	437.5	ST Super Max-18 #9		7910	1124
11056	28	Fiocchi	Fio616	Steel	16.3	NC28	TPS28	FC410 + NC410 in base	OS28	1	437.5	ST Super Max-18 #9		8675	1041
28-GAUGE • 3" LENGTH • STEEL SHOT • ROLL CRIMP															
11059.2	28	Fiocchi	Fio616	Lil' Gun	26.0		TPS28	MYTHIN	OS28	3/4	328.1	Steel #6		12000	1350
.410-BORE • 2-1/2" LENGTH • STEEL SHOT • FOLD CRIMP															
120817-4157	410	Cheddite	Ched209	Lil' Gun	18.0		TPS410 (trim 3/8")		OS410		118.0	Steel #7/6		11000	1600
120817-4156	410	Cheddite	Ched209	Lil' Gun	15.0		TPS410 (trim 1/4")		OS410		120.0	Steel #7/6		9500	1400
120820-4163	410	Cheddite	Ched209	Lil' Gun	10.0		TPS410 (trim 1/8")		OS410		140.0	Steel #7/6		8000	975

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
.410-BORE • 3" LENGTH • BISMUTH SHOT • ROLL CRIMP															
11681	410	Cheddite	Ched209	Lil' Gun	15.5		TPS410		OS410	2/5	180.0	Bismuth #5	6gr Original	11400	1379
.410-BORE • 3" LENGTH • BISMUTH SHOT • FOLD CRIMP															
161013-9076	410	Cheddite	Ched209	800-X	8.0		TPS410			7/16	191.4	Bismuth #7		9100	1075
161013-9074	410	Cheddite	Ched209	Lil' Gun	12.0		TPS410			7/16	191.4	Bismuth #7		6780	1000
161013-9075	410	Cheddite	Ched209	Lil' Gun	15.0		TPS410			7/16	191.4	Bismuth #7		7800	1200
.410-BORE • 3" LENGTH • BPX DEVASTATOR SHOT • ROLL CRIMP															
11102	410	Cheddite	Ched209	Alliant 410	13.4		TPS410		OS410	1/2	218.8	BPX-12		8150	1217
11100	410	Cheddite	Ched209	H110	19.0		TPS410		OS410	1/2	218.8	BPX-12 #6		7343	1285
11101	410	Cheddite	Ched209	Lil' Gun	14.2		TPS410		OS410	1/2	218.8	BPX-12		10748	1226
.410-BORE • 3" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • ROLL CRIMP															
11099	410	Fiocchi	Fio616	H110	19.0		TPS410		OS410	9/16	246.1	ST Original-15 #7	10gr Original	11693	1337
11103	410	Fiocchi	Fio616	Alliant 410	13.4		TPS410		OS410	5/8	273.4	ST Original-15 #7		11680	1146
11104	410	Fiocchi	Fio616	Lil' Gun	13.6		TPS410		OS410	5/8	273.4	ST Original-15 #7		9823	810
.410-BORE • 3" LENGTH • SPHEROTUNGSTEN ORIGINAL-15 SHOT • FOLD CRIMP															
180413-9950	410	Cheddite	Ched209	Alliant 410	12.0		TPS410			5/8	273.4	ST Original-15 #7		11170	1190
180412-9947	410	Cheddite	Ched209	Lil' Gun	14.0		TPS410			5/8	273.4	ST Original-15 #7		12650	1215
180716-10087	410	Fiocchi	Fio616	Alliant 410	12.0		TPS410			5/8	273.4	ST Original-15 #7		7720	1090
.410-BORE • 3" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • ROLL CRIMP															
11457	410	Cheddite	Ched209	Win. 296	13.6		TPS410	FC310 in base	OS410	11/16	300.8	ST Super Max-18 #9		7700	931
11458	410	Cheddite	Ched209	Win. 296	15.0		TPS410	FC310 in base	OS410	11/16	300.8	ST Super Max-18 #9		9100	1071
11043	410	Fiocchi	Fio616	H110	14.5		TPS410	FC310 in base	OS410	11/16	300.8	ST Super Max-18 #9		7315	1014
11456	410	Fiocchi	Fio616	H110	16.0		TPS410	FC310 in base	OS410	11/16	300.8	ST Super Max-18 #9		11798	1177
11045	410	Fiocchi	Fio616	Alliant 410	11.2		TPS410		OS410	13/16	355.5	ST Super Max-18 #9		12577	982
11049	410	Fiocchi	Fio616	H110	15.0		TPS410		OS410	13/16	355.5	ST Super Max-18 #9		10005	1030
11050	410	Fiocchi	Fio616	H110	16.0		TPS410		OS410	13/16	355.5	ST Super Max-18 #9		12648	1107
10823	410	Cheddite	Ched209	Alliant 300MP	15.5		TPS410		OS410		374.0	ST Super Max-18 #9		9860	1005

LOAD ID	GA.	HULL	PRIMER	POWDER	POWDER GRNS.	GAS SEAL	WAD	FILLER WADS & LOAD INSERTS	OVER SHOT	SHOT (OZ.)	SHOT (GRNS.)	SHOT SIZE	BUFFER (GRAINS)	PSI	FPS
.410-BORE • 3" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT • FOLD CRIMP															
11193	410	Cheddite	Ched209	Alliant 410	14.5		TPS410	(2) FC310 in base		1/2	218.8	ST Super Max-18 #9		6600	1109
11189	410	Cheddite	Ched209	Lil' Gun	18.0		TPS410	(2) FC310 in base		1/2	218.8	ST Super Max-18 #9		12774	1431
.410-BORE • 3" LENGTH • SPHEROTUNGSTEN SUPER MAX-18 SHOT & STEEL SHOT • ROLL CRIMP															
11106	410	Cheddite	Ched209	Lil' Gun	14.0		TPS410		OS410	1/2 1/8	218.8 54.7	ST Super Max-18 #9 Steel #4		12900	1170
.410-BORE • 3" LENGTH • STEEL SHOT • FOLD CRIMP															
120130-3660	410	Cheddite	Ched209	Alliant 410	12.0		TPS410				150.0	Steel #7		7600	1165
120130-3661	410	Cheddite	Ched209	Alliant 410	15.0		TPS410				150.0	Steel #7		8200	1345
120130-3657	410	Cheddite	Ched209	Blue Dot	11.0		TPS410		OS410		150.0	Steel #7		12300	1410
120130-3663	410	Cheddite	Ched209	Lil' Gun	14.0		TPS410		OS410		150.0	Steel #7		9400	1330
120130-3663B	410	Cheddite	Ched209	Lil' Gun	15.0		TPS410		OS410		150.0	Steel #7		10100	1410
120130-3664	410	Cheddite	Ched209	Lil' Gun	16.0		TPS410				150.0	Steel #7		11000	1545
120130-3662	410	Cheddite	Ched209	Longshot	9.0		TPS410		(2) OS410		150.0	Steel #7		12500	1390
120130-3658	410	Cheddite	Ched209	Steel	10.5		TPS410		OS410		150.0	Steel #7		11000	1415
120130-3659	410	Cheddite	Ched209	Steel	11.5		TPS410				150.0	Steel #7		11800	1500
110725-3236	410	Fiocchi	Fio616	H110	17.0		TPS410				150.0	Steel #6		7700	1315
110725-3237	410	Fiocchi	Fio616	Lil' Gun	15.0		TPS410				150.0	Steel #6		10000	1390
110725-3238	410	Fiocchi	Fio616	Longshot	9.5		TPS410		OS410		150.0	Steel #6		12800	1430

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".