



Rio Ammunition, a company with a long and famous tradition dating back more than 100 years.

The tradition and the experience of Rio Ammunition dates back two centuries when UEE, our parent company founded in 1896, commenced fabrication of cartridges and powder for hunting.

During its expansive history it has made continuous efforts to stay at the forefront of both manufacturing technology and the development of new products. At the present time our production plants are the most modern and competent in the world, and they are involved in the most meticulous processes and analysis with the objective of guaranteeing the quality and accuracy of every product we make.

Rio Ammunition is a company in constant expansion. At present we are active in more than 80 countries and we continue to develop our plans for internationalization, production and marketing in various geographic locations.

However we are not content with merely being present in these markets; it is our goal to become market leaders. At the current time, we are one of the world leaders in sporting shotshell sales, and our volumes continue to grow each year. Rio Ammunition is the only private company which manufactures all the essential components for its cartridges (hulls, primers, powders, wads, etc.). This, together with our notable work in R&D, enables us to achieve a level of efficiency which is without parallel, and the key to our success and leadership.

We are a company which is committed to the protection of the shooting sports, nature and natural habitats.

We do not limit ourselves to an ethical code of conduct, rather we are additionally involved with national and international organizations which are committed to the preservation of hunting for future generations.

Load Notes: *Where indicated, either by 'OS12' or 'OS20', an overshot card was utilized for the purposes of a better fit. Overshot cards can be used where slight load height modifications are needed. Ballistic Products Mica Wad Slick™ dry lubricant was used in all loads to assist in component insertion and for a slight boost in velocity. All loads were fold crimped, 6 or 8 point crimp is at reloaders discretion.*

“We are a company which is committed to the protection of the shooting sports, nature and natural habitats.”

12ga. Rio Lead Loads

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
90817	1160	12	2.75	Rio	Rio-209	700X	16.0	VP05		7/8	Lead #8	7600	1170
90817	1160T	12	2.75	Rio	Rio-209	700X	16.3	VP05		7/8	Lead #8	7900	1200
90817	1161A	12	2.75	Rio	Rio-209	700X	17.0	VP05		7/8	Lead #8	8100	1235
90817	1161	12	2.75	Rio	Rio-209	700X	18.0	VP05		7/8	Lead #8	8400	1275
90817	1162A	12	2.75	Rio	Rio-209	700X	19.0	VP05		7/8	Lead #8	8600	1310
90817	1162	12	2.75	Rio	Rio-209	700X	20.0	VP05		7/8	Lead #8	8800	1350
90803	1096	12	2.75	Rio	Rio-209	Clays	20.0	VP05		7/8	Lead #8	7400	1200
90803	1097A	12	2.75	Rio	Rio-209	Clays	21.0	VP05		7/8	Lead #8	7600	1260
90803	1097	12	2.75	Rio	Rio-209	Clays	22.0	VP05		7/8	Lead #8	7800	1320
90803	1098A	12	2.75	Rio	Rio-209	Clays	23.0	VP05		7/8	Lead #8	8400	1380
90803	1098	12	2.75	Rio	Rio-209	Clays	24.0	VP05		7/8	Lead #8	8900	1435
90817	1152	12	2.75	Rio	Rio-209	International Clays	21.0	VP05		7/8	Lead #8	7300	1170
90817	1152T	12	2.75	Rio	Rio-209	International Clays	21.3	VP05		7/8	Lead #8	7400	1200
90817	1153A	12	2.75	Rio	Rio-209	International Clays	22.0	VP05		7/8	Lead #8	7500	1240
90817	1153	12	2.75	Rio	Rio-209	International Clays	23.0	VP05		7/8	Lead #8	7700	1270
90817	1154	12	2.75	Rio	Rio-209	International Clays	24.0	VP05		7/8	Lead #8	8200	1340
90817	1155	12	2.75	Rio	Rio-209	Red Dot	18.0	VP05		7/8	Lead #8	7800	1200
90817	1156A	12	2.75	Rio	Rio-209	Red Dot	19.0	VP05		7/8	Lead #8	8000	1225
90817	1156	12	2.75	Rio	Rio-209	Red Dot	20.0	VP05		7/8	Lead #8	8400	1295
90901	1260	12	2.75	Rio	Rio-209	Red Dot	21.0	DX12		7/8	Lead #8	10300	1395
90817	1157A	12	2.75	Rio	Rio-209	Red Dot	21.0	VP05		7/8	Lead #8	8700	1330
90817	1157	12	2.75	Rio	Rio-209	Red Dot	22.0	VP05		7/8	Lead #8	9100	1380
90817	1158	12	2.75	Rio	Rio-209	Titewad	18.0	VP05		7/8	Lead #8	7900	1230
90817	1159A	12	2.75	Rio	Rio-209	Titewad	19.0	VP05		7/8	Lead #8	8100	1260
90817	1159	12	2.75	Rio	Rio-209	Titewad	20.0	VP05		7/8	Lead #8	8300	1300
90817	1163	12	2.75	Rio	Rio-209	700X	16.0	VP05		1	Lead #8	7800	1125
90817	1164A	12	2.75	Rio	Rio-209	700X	17.0	VP05		1	Lead #8	8200	1170
90817	1164T	12	2.75	Rio	Rio-209	700X	17.3	VP05		1	Lead #8	8400	1200
90817	1164	12	2.75	Rio	Rio-209	700X	18.0	VP05		1	Lead #8	8800	1230
90928	1390	12	2.75	Rio	Rio-209	700X	18.0	VP13		1	Lead #8	8800	1170
90928	1390T	12	2.75	Rio	Rio-209	700X	18.4	VP13		1	Lead #8	9000	1200
90817	1165A	12	2.75	Rio	Rio-209	700X	19.0	VP05		1	Lead #8	9000	1270
90817	1165	12	2.75	Rio	Rio-209	700X	20.0	VP05		1	Lead #8	9300	1315
90817	1173	12	2.75	Rio	Rio-209	American Select	18.0	VP05		1	Lead #8	7400	1125

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
90817	1173A	12	2.75	Rio	Rio-209	American Select	19.0	VP05		1	Lead #8	7900	1180
90817	1174T	12	2.75	Rio	Rio-209	American Select	19.2	VP05		1	Lead #8	8100	1200
90817	1174	12	2.75	Rio	Rio-209	American Select	20.0	VP05		1	Lead #8	8500	1230
90817	1175A	12	2.75	Rio	Rio-209	American Select	21.0	VP05		1	Lead #8	8600	1255
90817	1175	12	2.75	Rio	Rio-209	American Select	22.0	VP05		1	Lead #8	8700	1285
90817	1170	12	2.75	Rio	Rio-209	Clays	18.0	VP05		1	Lead #8	7500	1125
90817	1171A	12	2.75	Rio	Rio-209	Clays	19.0	VP05		1	Lead #8	7900	1180
90817	1171T	12	2.75	Rio	Rio-209	Clays	19.3	VP05		1	Lead #8	8100	1200
90817	1171	12	2.75	Rio	Rio-209	Clays	20.0	VP05		1	Lead #8	8500	1240
90817	1172A	12	2.75	Rio	Rio-209	Clays	21.0	VP05		1	Lead #8	8800	1290
90817	1172	12	2.75	Rio	Rio-209	Clays	22.0	VP05		1	Lead #8	9100	1320
90817	1167	12	2.75	Rio	FIO-616	E-3	16.0	VP05		1	Lead #8	8000	1130
90817	1168	12	2.75	Rio	Rio-209	E-3	16.0	VP05		1	Lead #8	8400	1160
90817	1168T	12	2.75	Rio	Rio-209	E-3	16.4	VP05		1	Lead #8	8500	1200
90817	1169A	12	2.75	Rio	Rio-209	E-3	17.0	VP05		1	Lead #8	8800	1225
90817	1169	12	2.75	Rio	Rio-209	E-3	18.0	VP05		1	Lead #8	9000	1245
90817	1166A	12	2.75	Rio	Rio-209	E-3	19.0	VP05		1	Lead #8	9600	1295
90817	1166	12	2.75	Rio	Rio-209	E-3	20.0	VP05		1	Lead #8	10100	1345
90817	1176	12	2.75	Rio	Rio-209	Green Dot	19.0	VP05		1	Lead #8	7800	1160
90817	1177T	12	2.75	Rio	Rio-209	Green Dot	20.0	VP05		1	Lead #8	8100	1200
90817	1177	12	2.75	Rio	Rio-209	Green Dot	21.0	VP05		1	Lead #8	8500	1245
90817	1178	12	2.75	Rio	Rio-209	Green Dot	22.0	VP05		1	Lead #8	8600	1260
90901	1264	12	2.75	Rio	Rio-209	International Clays	20.0	DX12	OS12	1	Lead #8	8500	1200
90817	1179	12	2.75	Rio	Rio-209	International Clays	20.0	VP05		1	Lead #8	7700	1160
90901	1264A	12	2.75	Rio	Rio-209	International Clays	20.5	DX12	OS12	1	Lead #8	8700	1235
90901	1264B	12	2.75	Rio	Rio-209	International Clays	21.0	DX12	OS12	1	Lead #8	8900	1280
90817	1181T	12	2.75	Rio	Rio-209	International Clays	21.0	VP05		1	Lead #8	8100	1200
90901	1265C	12	2.75	Rio	Rio-209	International Clays	21.5	DX12	OS12	1	Lead #8	9200	1300
90901	1265	12	2.75	Rio	Rio-209	International Clays	22.0	DX12	OS12	1	Lead #8	9600	1320
90817	1182	12	2.75	Rio	Rio-209	Red Dot	17.0	VP05		1	Lead #8	8100	1140
90817	1183T	12	2.75	Rio	Rio-209	Red Dot	18.8	VP05		1	Lead #8	8400	1200
90901	1261	12	2.75	Rio	Rio-209	Red Dot	19.0	DX12		1	Lead #8	10300	1270
90817	1183	12	2.75	Rio	Rio-209	Red Dot	19.0	VP05		1	Lead #8	8500	1210
90817	1184A	12	2.75	Rio	Rio-209	Red Dot	20.0	VP05		1	Lead #8	9000	1275
90817	1184	12	2.75	Rio	Rio-209	Red Dot	21.0	VP05		1	Lead #8	9500	1310

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
90817	1187	12	2.75	Rio	Rio-209	Titewad	17.0	VP05		1	Lead #8	8500	1180
90817	1189T	12	2.75	Rio	Rio-209	Titewad	17.3	VP05		1	Lead #8	8800	1200
90817	1189	12	2.75	Rio	Rio-209	Titewad	18.0	VP05		1	Lead #8	9100	1230
90817	1188	12	2.75	Rio	Rio-209	Titewad	19.0	VP05		1	Lead #8	9400	1270
90817	1190	12	2.75	Rio	Rio-209	Universal Clays	24.0	VP05		1	Lead #8	7900	1140
90817	1191T	12	2.75	Rio	Rio-209	Universal Clays	25.7	VP05		1	Lead #8	8100	1200
90817	1191	12	2.75	Rio	Rio-209	Universal Clays	26.0	VP05		1	Lead #8	8200	1225
90928	1391B	12	2.75	Rio	Rio-209	700X	19.0	VP13		1	Lead #8	9400	1235
90928	1391	12	2.75	Rio	Rio-209	700X	20.0	VP13		1	Lead #8	9800	1265
90928	1388T	12	2.75	Rio	Rio-209	Clays	19.8	VP13		1	Lead #8	7700	1200
90928	1388	12	2.75	Rio	Rio-209	Clays	20.0	VP13		1	Lead #8	7900	1220
90928	1389B	12	2.75	Rio	Rio-209	Clays	21.0	VP13		1	Lead #8	8200	1255
90928	1389	12	2.75	Rio	Rio-209	Clays	22.0	VP13		1	Lead #8	8500	1300
90928	1389A	12	2.75	Rio	FIO-616	Clays	23.0	VP13		1	Lead #8	8600	1310
90928	1386	12	2.75	Rio	Rio-209	Clays	24.0	VP13		1	Lead #8	8800	1325
90901	1263	12	2.75	Rio	Rio-209	800X	26.0	DX12		1 1/8	Lead #8	9800	1310
90901	1262	12	2.75	Rio	Rio-209	Universal Clays	26.0	DX12		1 1/8	Lead #8	9600	1260
91123	1612	12	2.75	Rio	Rio-209	800X	28.0	VP20	OS12	1 1/8	Lead #7.5	10200	1405
91123	1612A	12	2.75	Rio	Rio-209	800X	29.0	VP20	OS12	1 1/8	Lead #7.5	10500	1440
91123	1613	12	2.75	Rio	Rio-209	800X	30.0	VP20	OS12	1 1/8	Lead #7.5	10800	1470
91123	1613A	12	2.75	Rio	Rio-209	800X	31.0	VP20		1 1/8	Lead #6	11000	1500
91123	1614	12	2.75	Rio	Rio-209	800X	32.0	VP20		1 1/8	Lead #6	11200	1540
91102	1556	12	2.75	Rio	Rio-209	Herco	28.0	VP20		1 1/8	Lead #7	8800	1320
91029	1530	12	2.75	Rio	Rio-209	PB	23.3	VP20	OS12	1 1/8	Lead#8	8700	1200
91029	1526	12	2.75	Rio	Rio-209	PB	26.0	VP20		1 1/8	Lead#8	8700	1265
91029	1532	12	2.75	Rio	Rio-209	Red Dot	20.0	VP20	OS12	1 1/8	Lead#8	10600	1255
91029	1531	12	2.75	Rio	Rio-209	Red Dot	21.5	VP20	OS12	1 1/8	Lead#8	11200	1295
91029	1529	12	2.75	Rio	Rio-209	Unique	23.0	VP20	OS12	1 1/8	Lead#8	8600	1210
91029	1528	12	2.75	Rio	Rio-209	Unique	25.0	VP20	OS12	1 1/8	Lead#8	9400	1295
91030	1538	12	2.75	Rio	Rio-209	800X	27.0	VP20		1 1/4	Lead#6	10200	1320
91030	1539B	12	2.75	Rio	Rio-209	800X	28.0	VP20		1 1/4	Lead#6	10600	1360
91030	1539	12	2.75	Rio	Rio-209	800X	29.0	VP20		1 1/4	Lead#6	11000	1400
91030	1537	12	2.75	Rio	Rio-209	Herco	27.0	VP20		1 1/4	Lead#6	9200	1280
91029	1523	12	2.75	Rio	Rio-209	PB	25.0	VP20		1 1/4	Lead#6	9500	1235
91030	1541	12	2.75	Rio	Rio-209	PB	27.0	VP20		1 1/4	Lead#6	10300	1310

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
91030	1543	12	2.75	Rio	Rio-209	SR7625	28.0	VP20		1 1/4	Lead#6	9400	1250
91030	1544B	12	2.75	Rio	Rio-209	SR7625	29.0	VP20		1 1/4	Lead#6	9700	1285
91030	1544	12	2.75	Rio	Rio-209	SR7625	30.0	VP20		1 1/4	Lead#6	10200	1335
91030	1545	12	2.75	Rio	Rio-209	SR7625	32.0	VP20		1 1/4	Lead#6	10500	1380
91118	1599	12	2.75	Rio	Rio-209	Unique	23.0	VP20	OS12	1 1/4	Lead#6	9000	1185
91123	1599T	12	2.75	Rio	Rio-209	Unique	23.3	VP20	OS12	1 1/4	Lead#6	9200	1200
91123	1600B	12	2.75	Rio	Rio-209	Unique	24.0	VP20		1 1/4	Lead#4	9500	1245
91123	1600	12	2.75	Rio	Rio-209	Unique	25.0	VP20		1 1/4	Lead#4	9800	1270
91030	1540	12	2.75	Rio	Rio-209	Unique	27.0	VP20		1 1/4	Lead#6	9900	1300
91029	1524	12	2.75	Rio	Rio-209	Universal Clays	26.0	VP20		1 1/4	Lead#6	9500	1265
91029	1524B	12	2.75	Rio	Rio-209	Universal Clays	27.0	VP20		1 1/4	Lead#6	9900	1330
91029	1525	12	2.75	Rio	Rio-209	Universal Clays	28.0	VP20		1 1/4	Lead#6	10400	1360
91030	1542	12	2.75	Rio	Rio-209	Universal Clays	29.5	VP20		1 1/4	Lead#6	11200	1425
91123	1601	12	2.75	Rio	Rio-209	HS6	32.0	VP20		1 3/8	Lead#4	9800	1270
91123	1602B	12	2.75	Rio	Rio-209	HS6	33.0	VP20		1 3/8	Lead#4	10300	1310
91123	1602	12	2.75	Rio	Rio-209	HS6	34.0	VP20		1 3/8	Lead#4	10800	1350
91123	1603	12	2.75	Rio	Rio-209	Longshot	30.0	VP20		1 3/8	Lead#4	9600	1320
91123	1604B	12	2.75	Rio	Rio-209	Longshot	31.0	VP20		1 3/8	Lead#4	10400	1375
91123	1604	12	2.75	Rio	Rio-209	Longshot	32.0	VP20		1 3/8	Lead#4	11000	1415

12ga. Rio Buckshot Loads

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
100113	1659	12	2.75	Rio	Rio209	HS6	31.0	VP65	OS12	1 1/2	Lead BB-FF	11400	1255
100113	1660	12	2.75	Rio	Rio209	Steel	37.0	VP65		1 1/2	Lead BB-FF	11300	1420
100113	1662	12	2.75	Rio	Rio209	SR4756	30.0	VP65		1 1/2	Lead BB-FF	11000	1210

12ga. Rio Steel Loads

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
90921	1343	12	2.75	Rio	Rio-209	American Select	18.0	VP53		7/8	Steel #7	7900	1200
90921	1243B	12	2.75	Rio	Rio-209	American Select	19.0	VP53		7/8	Steel #7	8400	1245
90921	1344	12	2.75	Rio	Rio-209	American Select	20.0	VP53		7/8	Steel #7	8900	1300
90921	1341	12	2.75	Rio	Rio-209	E-3	19.0	VP53		7/8	Steel #7	10400	1405
90921	1342	12	2.75	Rio	Rio-209	E-3	20.0	VP53		7/8	Steel #7	10500	1425
91118	1576	12	2.75	Rio	Rio-209	SR4756	30.0	VP53		1	Steel #3	9600	1260
91118	1577	12	2.75	Rio	Rio-209	Steel	37.0	VP53		1	Steel #3	7800	1395

12ga. Rio ITX™ Loads

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
91029	1533	12	2.75	Rio	Rio-209	Universal	28.0	VP20	OS12	7/8	ITX#6	9500	1450
91030	1534	12	2.75	Rio	Rio-209	PB	28.0	VP20	OS12	7/8	ITX#6	8900	1425
91030	1535	12	2.75	Rio	Rio-209	PB	28.0	VP20		1	ITX#4	8700	1360
91030	1536	12	2.75	Rio	Rio-209	Universal Clays	28.0	VP20		1	ITX#4	9800	1400
91118	1578	12	2.75	Rio	Fio-616	Universal Clays	22.5	TPS #41mm	OS12	1 1/8	ITX#2-4-6	11000	1260

20ga. Rio Lead Loads

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
100114	1685	20	2.75	Rio	Rio-209	Universal Clays	19.0	SG20L	OS20	3/4	Lead #8	8800	1310
100114	1685M	20	2.75	Rio	Rio-209	Universal Clays	20.0	SG20L	OS20	3/4	Lead #8	9200	1380
100114	1686	20	2.75	Rio	Rio-209	Universal Clays	21.0	SG20L		3/4	Lead #8	9500	1435
91022	1495	20	2.75	Rio	Rio-209	20/28	18.0	NC20 + VP94		3/4	Lead #8	7300	1245
100114	1687	20	2.75	Rio	Rio-209	Universal Clays	19.0	VP94	OS20	3/4	Lead #8	9000	1335
100114	1687M	20	2.75	Rio	Rio-209	Universal Clays	20.0	VP94	OS20	3/4	Lead #8	9300	1385
100114	1688	20	2.75	Rio	Rio-209	Universal Clays	21.0	VP94	OS20	3/4	Lead #8	9500	1430
100121	1700	20	2.75	Rio	Rio-209	Blue Dot	26.0	BW20		7/8	Lead #8	8300	1145
100121	1700G	20	2.75	Rio	Rio-209	Blue Dot	27.0	BW20		7/8	Lead #8	8600	1200
100121	1701	20	2.75	Rio	Rio-209	Blue Dot	28.0	BW20		7/8	Lead #8	8900	1245
100121	1701G	20	2.75	Rio	Rio-209	Green Dot	15.0	BW20	OS20	7/8	Lead #8	10000	1200
100121	1702	20	2.75	Rio	Rio-209	Green Dot	16.0	BW20	OS20	7/8	Lead #8	10600	1225
100121	1702G	20	2.75	Rio	Rio-209	Green Dot	17.0	BW20	OS20	7/8	Lead #8	10700	1250
100121	1703	20	2.75	Rio	Rio-209	Green Dot	18.0	BW20		7/8	Lead #8	10900	1290
100121	1704	20	2.75	Rio	Rio-209	Herco	18.0	BW20	OS20	7/8	Lead #8	8600	1200
100121	1704G	20	2.75	Rio	Rio-209	Herco	19.0	BW20	OS20	7/8	Lead #8	8700	1225
100121	1705	20	2.75	Rio	Rio-209	Herco	20.0	BW20		7/8	Lead #8	8900	1270
100121	1706	20	2.75	Rio	Rio-209	SR4756	24.0	BW20		7/8	Lead #8	8800	1260
100121	1705G	20	2.75	Rio	Rio-209	SR4756	25.0	BW20		7/8	Lead #8	9000	1295
100121	1707	20	2.75	Rio	Rio-209	SR4756	26.0	BW20		7/8	Lead #8	9200	1330
100121	1708	20	2.75	Rio	Rio-209	SR7625	20.0	BW20	OS20	7/8	Lead #8	8800	1225
100121	1708G	20	2.75	Rio	Rio-209	SR7625	21.0	BW20	OS20	7/8	Lead #8	9000	1255
100121	1709	20	2.75	Rio	Rio-209	SR7625	22.0	BW20	OS20	7/8	Lead #8	9200	1305
100121	1709G	20	2.75	Rio	Rio-209	SR7625	23.0	BW20		7/8	Lead #8	9500	1360
100121	1710	20	2.75	Rio	Rio-209	Universal Clays	17.0	BW20	OS20	7/8	Lead #8	8800	1165
100121	1710G	20	2.75	Rio	Rio-209	Universal Clays	18.0	BW20	OS20	7/8	Lead #8	9300	1245
100121	1711	20	2.75	Rio	Rio-209	Universal Clays	19.0	BW20	OS20	7/8	Lead #8	10000	1305

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
100121	1711G	20	2.75	Rio	Rio-209	Universal Clays	20.0	BW20	OS20	7/8	Lead #8	10200	1350
100121	1712	20	2.75	Rio	Rio-209	Universal Clays	21.0	BW20		7/8	Lead #8	10400	1390
100121	1712G	20	2.75	Rio	Rio-209	Universal Clays	22.0	BW20		7/8	Lead #8	10800	1440
100114	1682	20	2.75	Rio	Rio-209	PB	18.0	BW20		7/8	Lead #8	9500	1250
100114	1682M	20	2.75	Rio	Rio-209	PB	19.0	BW20		7/8	Lead #8	9900	1285
100114	1683	20	2.75	Rio	Rio-209	PB	20.0	BW20		7/8	Lead #8	10200	1325
100114	1684	20	2.75	Rio	Rio-209	PB	18.0	DX20		7/8	Lead #8	9600	1230
100114	1684M	20	2.75	Rio	Rio-209	PB	19.0	DX20		7/8	Lead #8	10000	1285
100114	1680	20	2.75	Rio	Rio-209	PB	20.0	DX20		7/8	Lead #8	10400	1320
100114	1674	20	2.75	Rio	Rio-209	Universal Clays	18.0	DX20		7/8	Lead #8	9200	1235
100114	1674M	20	2.75	Rio	Rio-209	Universal Clays	19.0	DX20		7/8	Lead #8	9800	1290
100114	1676	20	2.75	Rio	Rio-209	Universal Clays	20.0	DX20		7/8	Lead #8	10300	1350
100114	1673	20	2.75	Rio	Rio-209	Universal Clays	18.0	SG20L		7/8	Lead #8	8900	1200
100114	1673M	20	2.75	Rio	Rio-209	Universal Clays	19.0	SG20L		7/8	Lead #8	9400	1290
100114	1677	20	2.75	Rio	Rio-209	Universal Clays	20.0	SG20L		7/8	Lead #8	9900	1340
91022	1494	20	2.75	Rio	Rio-209	20/28	18.0	VP94	OS20	7/8	Lead #8	8900	1265
91022	1488	20	2.75	Rio	Rio-209	International Clays	15.0	VP94	OS20	7/8	Lead #8	9200	1165
91022	1489B	20	2.75	Rio	Rio-209	International Clays	16.0	VP94	OS20	7/8	Lead #8	9800	1200
91022	1489	20	2.75	Rio	Rio-209	International Clays	17.0	VP94	OS20	7/8	Lead #8	10700	1280
91022	1490	20	2.75	Rio	Rio-209	PB	17.0	VP94		7/8	Lead #8	8200	1145
91022	1490A	20	2.75	Rio	Rio-209	PB	18.0	VP94		7/8	Lead #8	8600	1210
100114	1681	20	2.75	Rio	Rio-209	PB	18.0	VP94		7/8	Lead #8	9400	1245
100114	1681M	20	2.75	Rio	Rio-209	PB	19.0	VP94		7/8	Lead #8	9700	1295
100114	1679	20	2.75	Rio	Rio-209	PB	20.0	VP94		7/8	Lead #8	10200	1330
91022	1492	20	2.75	Rio	Rio-209	SR7625	19.0	VP94	OS20	7/8	Lead #8	8600	1180
91022	1492A	20	2.75	Rio	Rio-209	SR7625	20.0	VP94		7/8	Lead #8	8700	1210
91022	1493	20	2.75	Rio	Rio-209	SR7625	21.0	VP94		7/8	Lead #8	8800	1250
100114	1675	20	2.75	Rio	Rio-209	Universal Clays	19.0	VP94		7/8	Lead #8	11600	1420
100114	1678	20	2.75	Rio	Rio-209	Universal Clays	20.0	VP94		7/8	Lead #8	10300	1370
91022	1491	20	2.75	Rio	Rio-209	PB	19.0	VP94		7/8	Lead #8	9000	1255
91022	1500B	20	2.75	Rio	Rio-209	Longshot	18.0	VP94		1	Lead #7	8800	1220
91022	1499	20	2.75	Rio	Rio-209	Longshot	19.0	VP94		1	Lead #7	8300	1180
91022	1500	20	2.75	Rio	Rio-209	Longshot	21.0	VP94		1	Lead #7	9300	1260
91022	1497	20	2.75	Rio	Rio-209	SR4756	22.0	VP94		1	Lead #7	9000	1160
91022	1498B	20	2.75	Rio	Rio-209	SR4756	23.0	VP94		1	Lead #7	9200	1200

Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
91022	1498	20	2.75	Rio	Rio-209	SR4756	24.0	VP94		1	Lead #7	9600	1240
91022	1496	20	2.75	Rio	Rio-209	Universal Clays	18.0	VP94		1	Lead #7	9800	1190
20ga. Rio ITX™ Loads													
Load ID	Ref. #	Ga.	Lgth.	Hull	Primer	Powder	Grains	Wad	OS Card	Oz.	Type	PSI	FPS
100114	1671	20	2.75	Rio	Rio-209	Universal	19.0	VP93		7/8	ITX#2	11700	1365
100114	1672	20	2.75	Rio	Rio-209	Longshot	22.0	Z20		7/8	ITX#2	9600	1360

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. FOLLOW LOADING DATA AND WARNINGS OF RELOADING EXACTLY. WE DISCLAIM ANY LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER YOUR LOADING PRACTICES AND METHODS. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. THIS PRODUCT MUST NOT BE USED IN GUNS HAVING DAMASCUS OR TWIST STEEL BARRELS. KNOW WHAT IS BEHIND YOUR. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS". SEE PRODUCT-SPECIFIC WARNINGS ON PRODUCT PACKAGING.



The Science of Performancesm

P.O. Box 293 • Corcoran, MN 55340
Toll Free: 1-888-273-5623
www.ballisticproducts.com