

BPI LOAD GUIDE:

BPX-12 DEVASTATOR SHOT

WWW.BALLISTICPRODUCTS.COM

NON-TOXIC TUNGSTEN ALLOY SHOT WITH TIN PLATING

Our new BPX Devastator shot is only available at BPI. In partnership with the world's preeminent manufacturer of non-toxic shot, we've developed a new type of shot with a high-density tungsten alloy core and covered in a protective tin plating. The result is a near perfect sphere of high density and devastating lethality.

DEVELOPMENT: BPX Devastator blends materials in order to achieve an ideal ballistic balance between enhanced density, pellet count, spherical precision, and overall hardness. This unique pellet core consists mainly of high-density tungsten. It is lethal on turkeys, ducks, geese, and just about any other game birds. It is manufactured to a target density of 12.0 grams/cc, **which is about 5.5% denser than magnum lead shot.**

PACKAGING: BPX Devastator is a premium shot and it is packaged in our new Sturdy-Pak bottle, which features a convenient pour spout for easy, spill-resistant loading.

BPX Devastator is currently available in sizes BB, 1, 2, 4, 5, and 6.

* USFWS approved non-toxic

* Pellet Sizes: #BB = .180" (4.57 mm), #1 = .156 (4.00 mm), #2 = .150" (3.81 mm), #4 = .128 (3.25 mm), #5 = .118 (3.00 mm), #6 = .109 (2.75 mm)



Load ID	Ga.	Hull	Primer	Powder	Powder Grns.	Gas Seal	Wad	Filler Wads & Load Inserts	Over Shot	Shot (oz.)	Shot (grns.)	Shot Size	Buffer	PSI	FPS
				12-G	auge • 2	34" Length • E	BPX Devastato	r Shot • Fold C	rimp						
10927	12	Cheddite	Ched209	Longshot	22.5		CLBC	14CW20	0S12	1-1/8	492	#5	Mix #47	6500	1125
10934	12	Cheddite	Ched209	Longshot	28.5		CLBC	14CW20	0S12	1-1/8	492	#5	Mix #47	8400	1315
10935	12	Federal IBW	Fed209A	Longshot	29.0		CLBC	14CW20	OS12	1-1/8	492	#5		9500	1355
10928	12	Fiocchi	Fio616	Longshot	22.5		MG42	14CW20	0S12	1-1/8	492	#5	Mix #47	6700	1115
10933	12	Fiocchi	Fio616	Longshot	27.5		CLBC	14CW20	OS12	1-1/8	492	#5		8900	1330
10929	12	Rio	Rio209	Longshot	26.0		CLBC	14CW20		1-1/8	492	#5	Mix #47	8600	1300
10944	12	Cheddite	Ched209	Longshot	28.8		CLBC	18CW20		1-1/4	547	#5	Original	8800	1295
11151.2	12	Cheddite	Ched209	Longshot	29.2		MG42	14CW20		1-1/4	547	#5		10800	1297
10926	12	Federal IBW	Fed209A	Longshot	22.5		CLBC	14FW20	OS12	1-1/4	547	#5	Mix #47	9500	1200
10943	12	Fiocchi	Fio616	Longshot	28.5		MG42	14FW20		1-1/4	547	#5	Original	9600	1280
10946	12	Fiocchi	Fio616	Longshot	29.2		CLBC	18CW20	OS12	1-1/4	547	#5		8600	1250
10997	12	Rio	Rio209	Pro Reach	25.9	BPGS	BP12	18CW20	OS12	1-3/8	602	#5	Mix #47	10800	1244
				12-0	Gauge •	3" Length • B	PX Devastator	Shot • Fold Cr	imp				·		
11413.1	12	Cheddite	Ched209	Longshot	29.3	FS12	BP12	14CW20	OS12	1-1/4	547	#5		9200	1276
11413.23	12	Cheddite	Ched209	Longshot	29.3	X12X + NC12	BP12	14CW20	OS12	1-1/4	547	#5		10300	1288
10930	12	Fiocchi	Fio616M	Longshot	25.0	FS12	BP12	14FW20	OS12	1-1/4	547	#5		8542	1200
10931	12	Fiocchi	Fio616M	Longshot	27.5	FS12	BP12	14CW20	OS12	1-1/4	547	#2		8900	1250
10932	12	Fiocchi	Fio616M	Longshot	28.5	FS12	BP12	14CW20	OS12	1-1/4	547	#2		10700	1310
11414	12	Cheddite	Ched209	Longshot	28.5		MG42		N712	1-3/8	602	#BB		10800	1271
11420	12	Cheddite	Ched209	Longshot	27.5	N712	MG42		OS12	1-1/2	656	#BB		8700	1145
11452.2	12	Cheddite	Ched209	Longshot	28.1	N712	MG42		OS12	1-1/2	656	#BB		11000	1205
				16-Ga	uge • 2-	3/4" Length •	BPX Devastat	or Shot • Fold	Crimp						
11394	16	Cheddite	Ched209	Lil'Gun	39.0		CSD16	(2) 18FW20		1-1/8	492			6970	1264
11395	16	Cheddite	Ched209	Lil'Gun	40.4		CSD16	(2) 18FW20		1-1/8	492	#6		8185	1352
10942	16	Fiocchi	Fio616	Lil'Gun	40.2		CSD16	(2) 18FW20		1-1/8	492			9000	1385
10939	16	Fiocchi	Fio616	Lil'Gun	41.5		CSD16	(2) 18FW20		1-1/8	492	#6		10600	1460

Load ID	Ga.	Hull	Primer	Powder	Powder Grns.	Gas Seal	Wad	Filler Wads & Load Inserts	Over Shot	Shot (oz.)	Shot (grns.)	Shot Size	Buffer	PSI	FPS
20-Gauge • 2-3/4" Length • BPX Devastator Shot • Fold Crimp															
11118	20	Fiocchi	Fio616	Longshot	16.9		CSD20			1	438	#5		8500	1100
11117	20	Fiocchi	Fio616	Steel	22.5		CSD20			1	438	#5		11300	1297
10950.2	20	Fiocchi	Fio616	Lil'Gun	30.8		TPS2044			1-1/4	547	#5		11500	1240
20-Gauge • 3" Length • BPX Devastator Shot • Fold Crimp															
11437	20	Fiocchi	Fio616	Lil'Gun	36.0	NC20	BP2090	(2) 18CW28	OS20	1	438	#5		10600	1396
11468	20	Cheddite	Ched209	Lil'Gun	31.1		BP2092	FC410 (cut to 1/4")	OS20	1-1/8	492	#4		8387	1223
11469	20	Cheddite	Ched209 HOT	Lil'Gun	31.1		BP2092	FC410 (cut to 1/4")	OS20	1-1/8	492	#4		9280	1253
11466	20	Fiocchi	Fio616	Lil'Gun	29.4		BP2092		OS20	1-3/8	601			10953	1222
28-Gauge • 2-3/4" Length • BPX Devastator Shot • Fold Crimp															
11421	28	Fiocchi	Fio616	Longshot	14.6		TPS28			3/4	328	#5		9800	1137
.410-Bore • 3" Length • BPX Devastator Shot • Roll Crimp															
11102	.410	Cheddite	Ched209	Alliant .410	13.4		TPS410		OS410	1/2	219			8000	1200
11100	.410	Cheddite	Ched209	H110	19.0		TPS410		OS410	1/2	219	#6		7400	1310
11101	.410	Cheddite	Ched209	Lil'Gun	14.2		TPS410		0S410	1/2	219			10800	1226

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

