

#### **BPI Premium Field Wads:**

# RANGER ELITE<sup>™</sup>

#### Loading the Ranger Elite

The one-piece 12-gauge hunting wad designed specifically for elite field loads. The Ranger Elite provides high performance options for both lead and non-toxic shot. The Ranger Elite's large internal capacity allows for heavy payloads up to 1-5/8 ounces of lead shot and 1-1/8 ounces of steel shot (exact capacity will vary depending upon pellet size). The Ranger Elite is available both pre-slit and unslit for customizing maximum performance loads.

Like its predecessors, the Turkey Ranger<sup>™</sup> wad and Ranger-Plus<sup>™</sup> wad, the Ranger Elite is a great choice for both waterfowl and turkey field loads. Its flexible, full diameter gas seal allows for excellent obturation and consistent seals for maximum powder burn during combustion. The shallow base allows this wad to seat properly with flake, granulated, and spherical ball powders.

The Ranger Elite wad uses BPI's new TPS Slip Process Technology designed to reduce resistance and enhance production flow. This technology creates wads with unsurpassed operating range in extreme temperatures and military-spec toughness. Certified for major manufacturers down to -25 F.



#### **Technical Specifications:**

Overall Length: 1.763"

• Diameter: .715"

Wall Thickness: .040"

Shotcup Depth: 1.485"

• Slits: 4

Slit Depth: 1.425"

Load ID	Ga.	Hull	Primer	Powder	Grns.	Gas Seal	Wad	Filler Wads & Load Inserts	OS Card	Shot Wgt.	Load Grns.	Shot Size	Buffer	PSI	FPS
12-Gauge • 2¾" Length • Steel Shot • Fold Crimp															
151231-7623	12	Cheddite	Ched209	Longshot	31.0		Ranger Elite	14FW20		7/8	382	Steel BB-5	10 gr	10700	1535
151231-7620	12	Cheddite	Ched209	HS6	32.0		Ranger Elite	14FW20	0S12	7/8	382	Steel BB		10700	1405
160118-7710	12	Rio	Rio209	Pro Reach	29.0		Ranger Elite	14FW20 + 18FW20		7/8	382	Steel BB		9400	1470
160118-7714	12	Rio	Rio209	Longshot	31.0		Ranger Elite	14FW20	OS12	7/8	382	Steel BB		11000	1570
160118-7712	12	Fiocchi	Fio616	Pro Reach	28.0		Ranger Elite	14FW20 + 18FW20		7/8	382	Steel BB		7800	1290
160118-7716	12	Fiocchi	Fio616	Longshot	31.0		Ranger Elite	14FW20 + 18FW20		7/8	382	Steel BB		8600	1435
160118-7718	12	Federal PB	Fed209A	Longshot	30.0	BPGS	Ranger Elite	14FW20 + 18FW20		7/8	382	Steel BB		9500	1445
151231-7624	12	Cheddite	Ched209	Longshot	28.0		Ranger Elite	18FW20		1	437	Steel BB-5		10700	1410
160106-7636	12	Cheddite	Ched209	HS6	29.5		Ranger Elite	18FW20		1	437	Steel BB		11000	1310
160118-7711	12	Rio	Rio209	Pro Reach	27.0		Ranger Elite	18FW20		1	437	Steel BB		10200	1410
160118-7715	12	Rio	Rio209	Longshot	28.0		Ranger Elite	14FW20		1	437	Steel BB		10500	1415
160118-7713	12	Fiocchi	Fio616	Pro Reach	26.0		Ranger Elite	14FW20		1	437	Steel BB		9200	1340
160118-7717	12	Fiocchi	Fio616	Longshot	28.0		Ranger Elite	14FW20		1	437	Steel BB		9000	1330
160118-7719	12	Federal PB	Fed209A	Longshot	27.0	BPGS	Ranger Elite	18FW20		1	437	Steel BB		10400	1370
151231-7622	12	Cheddite	Ched209	HS6	27.0		Ranger Elite			1 1/8	492	Steel B		10800	1190
					12-0	iauge •	3" Length	• Steel Shot • Fol	ld Crim	р					
160106-7639	12	Cheddite	Ched209	Pro Reach	31.0	BPGS	Ranger Elite	18FW20		1	437	Steel B		10700	1505
151231-7616	12	Cheddite	Ched209	Blue Dot	38.0	BPGS	Ranger Elite	18FW20		1	437	Steel B		10100	1365
160118-7720	12	Federal PB	Fed209A	Pro Reach	28.0	X12X	Ranger Elite	14FW20		1	437	Steel BB		10800	1430
160118-7723	12	Fiocchi	Fio616	Steel	41.5		Ranger Elite	18FW20		1	437	Steel B		10900	1590
151231-7617	12	Cheddite	Ched209	Longshot	26.0	BPGS	Ranger Elite			1 1/8	492	Steel #3		10400	1310
151231-7619	12	Cheddite	Ched209	Steel	38.0		Ranger Elite		0S12	1 1/8	492	Steel #2	10 gr	9500	1440
160118-7721	12	Federal PB	Fed209A	Pro Reach	26.0	X12X	Ranger Elite			1 1/8	492	Steel B		10700	1320
160118-7724	12	Fiocchi	Fio616	Steel	34.0		Ranger Elite			1 1/8	492	Steel B		9600	1410

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

Load ID	Ga.	Hull	Primer	Powder	Grns.	Gas Seal	Wad	Filler Wads & Load Inserts	OS Card	Shot Wgt.	Load Grns.	Shot Size	Buffer	PSI	FPS
	12-Gauge • 2¾" Length • Lead Shot • Fold Crimp														
151231-7627	12	Cheddite	Ched209	Longshot	27.0		Ranger Elite	14FW20		1 1/4	547	Lead #6		9600	1275
151231-7628	12	Fiocchi	Fio616	800X	24.0		Ranger Elite	14FW20 + 18FW20		1 3/8	601	Lead #6		10000	1140
151231-7629	12	Fiocchi	Fio616	Blue Dot	33.0		Ranger Elite	14FW20		1 3/8	601	Lead #6/7		9600	1165
160118-7728	12	Cheddite	Ched209	Blue Dot	36.0		Ranger Elite	(2)14FW20		1 1/8	492	Lead #6		9100	1235
	12-Gauge • 3" Length • Lead Shot • Fold Crimp														
160118-7727	12	Cheddite	Ched209	Pro Reach	28.0	BPGS	Ranger Elite	14FW20 + 18FW20		1 1/4	547	Lead #6		10000	1290
151231-7630	12	Cheddite	Ched209	Longshot	31.0	X12X	Ranger Elite	18FW20		1 3/8	601	Lead #6		10700	1300
151231-7631	12	Cheddite	Ched209	Longshot	28.5	X12X	Ranger Elite	14FW20		1 1/2	656	Lead #6		10700	1250
151231-7632	12	Cheddite	Ched209	Steel	33.0	BPGS	Ranger Elite	18FW20		1 1/2	656	Lead #6		9500	1230
160118-7726	12	Cheddite	Ched209	Steel	35.0	BPGS	Ranger Elite	18FW20		1 1/2	656	Lead #6		10700	1310
160106-7638	12	Cheddite	Ched209	Longshot	26.5	BPGS	Ranger Elite	18FW20		1 5/8	710	Lead #6		10500	1145

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

## **Component Abbreviation Chart**

+	load tested w / specified shot size and large	rna
-	load tested w / specified shot size and smal	ler na
	.8 gram Thug Slug, .410	
10MMW*	10mm waxed card wad (*relevant gauge)	#10MMW**
12ga 1 oz Thug Slug	1 oz. Thug Slug, 12ga	#1261228
12ga 1 ½ oz Thua Sluc	1 1 ½ oz. Thug Slug, 12ga	#1261232
14C*	card wad (*relevant gauge)	#14C**
14CW*	" cork wad (*relevant gauge)	#12224**
14FW*	felt wad (*relevant gauge)	#12214**
18CW*	.½" cork wad (*relevant gauge)	#17778**
18FW*	.%" felt wad (*relevant gauge)	#12220 #12218**
20ga 7% oz Thug Slug	.% oz. Thug Slug, 20ga	#126200 #1262025
2090 /8 02. Thug stug	Vectan / Nobel Sport 206V powder	#NR204V1
38///*	" waxed card wad (*relevant gauge)	#38/N/**
7007		πουν #በ0በ7በበ*
200X	Hodgdon Hi-Skor 800-X powder	#090700
	Vectan / Nobel Sport A0 powder	
	Vectari / Nobel Sport AO powder	
	Vectan / Nobel Sport AT powder	
AA Sup. Hallulcap	Accurate 4100 powder	#Z3333NU
	Alliant 20/28 powder	
	.Alliant 2400 powder	
Alliant 410	Alliant 410 powder	#010440U #010410*
Amarican Calact	Alliant American Select powder	#U1041U" #010040*
ATTEMICALI SEIECU	NobelSport-Cheddite AQT2 wad	#U10U4U
AQ12	Vectan / Nobel Sport AS powder	#NIDAC1
DIUE DOL	.Alliant Blue Dot powder	#UI8U8U"
DP 12	.BP12 wad, 12ga .BPD10 wad, 10ga	#3221203
	.BPD10 wad, 10ga .BPD10-Tuff steel shot wad, 10ga	
DLDIOI	.Ballistic Products Gas Seal	#2221200
	.Ballistic Products shot buffer	
Bullseye	.Alliant Bullseye powder	#UI8UIU"
DW 12	.Brush wad (Oʻriginal), 12ga	#U/ZDW IZ
	.Brush wad, 20ga	
	.Brush wad, 24ga	
	.Brush wad, 28ga	
	.BX410 wad, .410	
CC1200M	.CCI 209 primer	#UI
	.CCI 209 magnum primer	
	.Cheddite 209 primer	
Cheddite	.Cheddite/MultiHull hull	#139^^^
chedaite (paper)	Cheddite/MultiHull paper hull	#13912PAP
CLDC	.Hodgdon Clays powder	#U&IUIU*
COC12	.Cushioned LBC wad, 12ga	#U/ 29U 12
CU31Z	Clear Overshot Disc, 12ga	#CUS12

6612	C C 142	"0726642
(\$12	Competition Special wad, 12ga	#0/2C512
	Competition Special Short wad, 12ga	
	Cushioned Shot Driver, 20ga	
	% oz. Cushioned Shot Driver, 12ga	
CSD100	1 oz. Cushioned Shot Driver, 12ga	#020/100
	1 1/8 oz. Cushioned Shot Driver, 12ga	
	1 ¼ oz. Cushioned Shot Driver, 12ga	
CSD16	7% oz. Cushioned Shot Driver, 16ga	#0207016
CTX Copper/Frangible	¾ oz. CTX Frangible Slug, 12ga	#336CTX12
D20	Vectan / Nobel Sport D20 powder	#NBD201
Dangerous Game Slug	Dangerous Game Slug	
	12ga	
	16ga	
	20ga	#0721620
DGS Thunderbolt Slug	"Thunderbolt" Dangerous Game Slug, 12ga	#0721613
DX12	Dispersor-X wad, 12ga	#072DX12
DX12S	Dispersor-X Short wad, 12ga	#072DX12S
	Dispersor-X wad, 20ga	
	Alliant E-3 powder	
EML	European Mighty Lite, 12ga	#072EML
FC*	½" fiber card (*relevant gauge)	#FC**
Fed209A	Federal 209A primer	#209A
Federal	Federal hull	#062****
	Federal paper hull	
	Federal hull (fiber basewad)	
Federal PR	Federal hull (plastic basewad)	na
	Fiocchi 616 primer	
Fincchi	Fiocchi hull	#064****
Fincchi (nanar)	Fiocchi paper hull	πυυτ na
Foctor Clua	Foster Slug, 12ga	#700000
EC12	Flex Seal cushioned gas seal, 12ga	#072EC12
roiz	grams (28.35 grams = 1 ounce)	#0/2F312
	Vectan / Nobel Sport GM3 powder	
CIVID	grains (437.5 grains = 1 ounce)	ו כועום מוויייייי
griis	grains (437.5 grains = 1 ounce)	Ild
Green Dot	Alliant Green Dot powder	#018030^
	GS2 / Air Wedge Gas Seal, 12ga	
	NobelSport-Cheddite GTT1 wad	
G113	NobelSport-Cheddite GTT3 wad	#1396113
H-110	Hodgdon H-110 powder	#081110*
	Helix Cushion Driver 18 wad, 12ga	
HCD21	Helix Cushion Driver 21 wad, 12ga	.#020HCD21
HCD24	Helix Cushion Driver 24 wad, 12ga	.#020HCD24
	1/2" waxed hard card wad (*relevant gauge)	
Herco	Alliant Herco powder	#018050*
Hevi-Shot™	Hevi-Shot™ non-toxic shot	#05500**
	Hodgdon HS-6 powder	
	HV28 large-capacity wad, 28ga	
IMR 4227	IMR 4227 powder	na

nternational Clays	.Hodgdon International Clays powder	#081020*
TX Original-10™	.ITX Original-10™ non-toxic shot	#TX**
TX Extreme-13™	.ITX Extreme Turkey Trauma-13™ non-toxic s	hot#TXTT**
_078	.Lightning ¾ oz. wad, 12ga	#020L078
	Light Brush wad, 12ga	
	.LBC Sabot Slug, 12ga	
_BC30	.30mm Limited Bore Contact wad, 12ga	#0729030
_BC43	.43mm Limited Bore Contact wad, 12ga	#0729043
_BC50	.50mm Limited Bore Contact wad, 12ga	#0729050
	Lee Drive-Key Slug, 12ga ¾ oz	
Lee Drive-Key Slug, 1 oz	.Lee Drive-Key Slug, 12ga 1 oz	#LEE90281
Light Game Ślug	.Light Game Slug	
, ,	28ga	#0721628
	.410	#0721641
_il' Gun	.Hodgdon Lil' Gun powder	
	.Hodgdon Longshot powder	
MG410	.MG410 wad, .410	#072MG410
MG42	.MG42 Wad, 12ga	#072MG42
	.Mica Wad Ślick Lubricant	
	.Multi-Metal 3 ½" wad, 10ga	
	.Multi-Metal 3" wad, 12ga	
MM1235	.Multi-Metal 3 ½" wad, 12ga	na
MM1275	.Multi-Metal 2 ¾" wad, 12ga	na
WY1620	.16-20ga Mylar™ wraps	#MY1620
MYTHICK	.Thick Mylar™ wraps	#MYTHICK
MYTHIN	.Thin Mylar™ wraps	#MYTHIN
	.Slim Mylar™ wraps	
	.NobelSport 209 primer	
	.Mini Nitro Card (*relevant gauge)	
VC*	.Maxi Nitro Card (*relevant gauge)	#NC**
Non-Toxic Green Slug.	.Non-Toxic Green Slug, 12ga	#7000005
VP*	.Nickel Plated lead shot (*indicate shot size)	#NP**
DB*	Obturator gas seal (*relevant gauge)	#020**
OS*	Overshot Card (*relevant gauge)	#0S*
OSBP12	.Overshot Card w/ BPI Logo, 12ga	#0SBP12
PB	.IMR PB powder	na
PISK	Piston Skeet wad, 12ga	#072PISK
	.Piston Skeet Lite wad, 12ga	
PI (*	.1/2'' pre-lubed fiber card (*relevant gauge)	#PI (**
PRIMA-SV	.Vectan / Nobel Sport Prima-SV powder	na
PRIMA-V	.Vectan / Nobel Sport Prima-V powder #	NBPRIMAV1
Pro Reach	.Alliant Pro Reach powder	#018PRO*
PT1044	.PT1044 wad, 10ga	na
	.PT1205 wad, 12ga	
	.PT1210 wad, 12ga	
PT1215	.PT1215 wad, 12ga	na
PT1220	.PT1220 wad, 12ga	na
PT1232	.PT1232 wad, 12ga	na
	· , J	

### **Component Abbreviation Chart**

	DT4254   42	
PT1251	PT1251 wad, 12ga	na
PT1253	PT1253 wad, 12ga	na
PT 1260	PT1260 wad, 12ga	na
P12090	PT2090 wad, 20ga	na
P12091	PT2091 wad, 20ga	na
P12092	PT2092 wad, 20ga	na
PT2093	PT2093 wad, 20ga	na
PT2094	PT2094 wad, 20ga	na
PT20GS	PT20GS gas seal, 20ga	na
PT2895	PT2895 wad, 28ga	na
	Pumpkin Ball Slug, 10/12ga	
Ranger Elite	Ranger Elite wad, 12ga	#32212RE
	Ranger Plus wad, 12ga	
	Alliant Red Dot powder	
Rem209	Remington 209 STS primer	#R209
	Remington Nitro Mag hull	
Rem. Nitro/STL	Remington Nitro/STL	na
	Remington Premier hull	
Remington	Remington hull	na
	Remington SP hull	
	Remington STS hull	
	Rex 24-Gram wad, 12ga	
	Rio 209 primer	
Rio	Rio hull	#RIO****
Rio (Elev)	Rio/Eley 2 ½" hull	#RI01265
SF12	Spitfire wad, 12ga	#072SF12
SG16	Sporting 16 wad, 16ga	#072SG16
CC16C	Contract to the any regularities	
30103	Sporting 16 Short wad	#072SG16S
SG201	Sporting 16 Short wad Sporting 20 Long wad 20ga	#072SG16S #072SG20I
SG20L	Sporting 20 Long wad, 20ga	#072SG20L
SG20L SG20M	Sporting 20 Long wad, 20ga Sporting 20 Mid wad, 20ga	#072SG20L #072SG20M
SG20L SG20M SG20S	Sporting 20 Long wad, 20ga Sporting 20 Mid wad, 20ga Sporting 20 Short wad, 20ga	#072SG20L #072SG20M #072SG20S
SG20LSG20MSG20SSG24	Sporting 20 Long wad, 20ga Sporting 20 Mid wad, 20ga Sporting 20 Short wad, 20ga Sporting 24 wad, 24ga	#072SG20L #072SG20M #072SG20S #072SG24
SG20LSG20MSG20SSG24SG28	Sporting 20 Long wad, 20ga Sporting 20 Mid wad, 20ga Sporting 20 Short wad, 20ga Sporting 24 wad, 24ga Original Sporting 28 wad, 28ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28
SG20LSG20MSG20SSG24SG28SG28-II	Sporting 20 Long wad, 20ga Sporting 20 Mid wad, 20ga Sporting 20 Short wad, 20ga Sporting 24 wad, 24ga Original Sporting 28 wad, 28ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28
SG20LSG20MSG20SSG24SG28SG28-IISG32	Sporting 20 Long wad, 20ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28S #072SG32
SG20LSG20MSG20SSG24SG28SG28-IISG32SG410	Sporting 20 Long wad, 20ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28 #072SG32 #072SG410
SG20LSG20MSG20SSG24SG28SG28-IISG32SG410SG410Shuttlecock Slug	Sporting 20 Long wad, 20ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28 #072SG32 #072SG410 #7000003
SG20LSG20MSG20SSG24SG28SG28-IISG32SG410Shuttlecock SlugSolo 1000	Sporting 20 Long wad, 20ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28 #072SG32 #072SG410 #7000003 #019100*
SG20LSG20MSG20SSG24SG28SG28-IISG32SG410Shuttlecock SlugSolo 1000SPARK	Sporting 20 Long wad, 20ga	#072SG20L #072SG20M #072SG20S #072SG24 #072SG28 #072SG28 #072SG32 #072SG410 #7000003 #019100*

CD 7425	MAD CD 7625	
SR-/625	IMR SR-7625 powder	na
SKC	Short Range Crusher wad, 12ga	#0/2SKC
SSW	Short Shell wad, 12ga	#0/2SSW
	Stabili-Shock Rubber Slug	
Steel™	Alliant Steel powder	#018070*
	Stretch wad, .410	
Stump	Stump wad, .410	#0724105
TC20	The Commander, 20ga	#020TC20
Teflon	Teflon™ Wrap	#TEFLON
	Hodgdon Titegroup powder	
	Hodgdon Titewad powder	
	TPS 3 ½" wad, 10ga	
TPS1230	TPS 3" wad, 12ga <sup>*</sup>	#3227702
TPS1235	TPS 3 ½" wad, 12ga	#3227703
TPS1275	TPS 2 ¾" wad, 12ga	#3227701
TPS28	TPS shot wad, 28ga	#3222800
TPS35mm	TPS 35mm wad, 12ga	#3227735
TPS41mm	TPS 41mm wad, 12ga	#3227741
TPS410	TPS shot wad, .410	#3224100
TR12	Turkey Ranger wad, 12ga	na
Trim	trim component by specified amt	na
TY34	Tyvek™ ¾″ 10ga patch	#TY34
TY58	Tyvek™ 5%″ 12ga patch	#TY58
Unique	Alliant Unique powder	#018060*
Universal Clavs	Hodgdon Universal Clays powder	#081030*
Win209	Winchester 209 primer	#W209
Win AA (original)	Win AA old style, comp-formed hull	na na
Win AA HS	Win AA "High Strength" hull	na
	Winchester AA Lite powder	
Win Universal	Winchester Universal (polyformed) hull	na
Winchester 296	Winchester 296 powder	na na
Winchester Poly	Winchester Polyformed hull	nana
WSF	Winchester Super Field powder	#235030*
WST	Winchester Super Target powder	#235020*
	X10X gas seal	
	X12X gas seal	
V Ctroam Chroador	X-Stream Spreader insert	#3227127 #3720001
716	Field Commander, 16ga	#N20001 #N20714
	Trap Commander, 12ga	
LZ1	11ap Commanuer, 129a	#UZUZZI

#### **Ballistic Laboratory Notes:**

- The "Load" column will often indicate a specific shot size. This is
  a laboratory notation that tells you what shot size was actually
  used in the loads for the ballistic lab tests. You are not confined by
  this information to use that specific shot size. This information is
  provided only as a guideline for shot-fit and (potential) filler wad
  purposes; it tells the loader what to expect.
- All unslit wads were slit prior to loading. Number of slits may
  be varied to achieve desired effect. Slit 2 to 3 times for a tighter
  pattern and 5 or 6 for a more open pattern. Length of slits may
  also be altered. However, slits at least ¾ the length of the wad are
  recommended for complete pellet release.
- Mica Wad Slick™ may be used in all loads prior to loading. Mica is a
  dry lubricant that eases insertion of wads into hulls, especially oncefired. Also provides a slight boost in velocity.
- Original Shot Buffer was used in lead loads. Mix #47 Buffer was used in steel shot and Hevi-Shot loads and BSB/ITX Buffer was used in ITX™ loads. Do not add buffer unless indicated by data.
- All powder charges listed in data are in grains and not grams. Buffer is listed in grains as well.
- Mylar<sup>™</sup> wrap is coiled prior to inserting into the hull or shotcup. Cut
  Mylar<sup>™</sup> wrap in half in instances where "½" is designated before the
  Mylar<sup>™</sup> that is being used. Teflon<sup>™</sup> wrap is also coiled and inserted
  into the hull prior to dropping the shot.
- + / next to shot size indicates load was tested with the listed size
  and larger (+) or smaller (-). A dash (-) between shot sizes indicates
  load was tested with all sizes between the two listed.

WARNING: BALLISTIC PRODUCTS, INC. DISCLAIMS ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS. THEN UNLOAD CAREFULLY, WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".